



A

- Abloy disc lock
 - disc tumbler, 252, 288, 319
 - figure 13-3, 289
 - figure 13-17, 301
 - Han Fey, 288
 - patent disc tumbler, 319
- Abloy Pulse
 - energy harvesting lock, 310
- abstract
 - of patent, 176
- access control systems
 - attacks against, 552
 - keys, 305
 - wireless door locks, 312
- acoustic pick
 - figure 15-23, 369
- Acura 44 system
 - EVVA, 299
- advanced attacks
 - against locks, 459
- advancements in RFID
 - lock design, 255
- adversaries knowledge and resources
 - design rules, 600
- advertising
 - misleading, 211
- AFTE
 - forensic analysis of locks, 36

- alarms
 - attacks against, 314
- ALOA
 - development of, 235
 - organizations, 258
- alternative designs
 - failure to consider in locks, 101
 - legal liability, 124
- American Inventors Protection Act
 - patent, 169
- American National Standards Institute
 - definition, 258
- analysis of keys
 - master key systems, 229
- ANSI
 - definitions, 258
 - standards, 138
- anti-bumping pins
 - lock, 301
- anti-drill barriers
 - locks, 34, 300, 398
- anti-theft device
 - vehicles, 13
- Antwerp diamond heist
 - locks, 370, 555
- apparent security
 - design rules, 623
- appearance of security
 - design rules, 620

- application of force
 - failure to consider, 578
- application of torque
 - to a lock, 580
- arrogance in designs
 - design rules, 610
- ARX Medeco pins
 - figure 13-13, 298
 - figure 13-18, 302
 - Medeco, 302, 468
- ASIS
 - development of, 235
- ASSA Abloy CLIQ
 - figure 13-23, 307
 - lock design, 306
- ASSA Abloy eclair
 - lock design, 306
- ASSA Abloy Spark
 - energy harvesting, 310
 - figure 13-27, 310
- ASSA sidebar design
 - figure 14-6, 324
- ASSA twin
 - lock design, 321
- ASSA V10 lock
 - figure 14-5, 325
 - lock design, 321
 - side pin design, 323
- assembly retaining
 - locks, 384
- assumptions about security
 - design rules, 614
- ASTM
 - standards, 138
- AT Security software
 - 3D printing, 514
- attack methods
 - failure to correlate, 577
 - lever locks, 355
 - prioritization design rules, 623
- attack motivation
 - design rules, 621
- attack resistance times
 - UL 437, 141
- attack types
 - locks, 385
- attack vector discovery

- design rules, 613
- imagining, 617
- attacks against locks
 - against cars man-in-middle, 566
 - against high-tech design rules, 611
 - against keying systems, 489
 - against tolerances, 387
 - electronic cylinder, 146
 - electronic locks, 445
 - design rules, 605
 - forced entry, 36
 - history, 341
 - hybrid, 80
 - inside, 62
 - intelligence about locks, 608
 - key control advanced, 508
 - security ratings, 83
 - shear line, 44
 - simple, 560
 - time computation, 68, 69
- audit trails
 - BHMA 156.30, 155
 - characteristics of, 46
 - compromise of, 46
 - covert entry, 76
 - defeat of, 77
 - defeating of, 392
 - locks, 46, 76
 - vulnerabilities, 608
- avoiding legal issues
 - legal liability, 89
- axial pin tumbler locks
 - attacks against, 562
 - bumping attacks, 562
 - decoder, 431
 - definitions, 258
 - figure 12-1, 258
 - figure 13-11, 297
 - utility patent 7441431, 296
- axioms and guidelines
 - lock design, 599

B

- back doors
 - design rules, 609
- bad guys and security vulnerabilities
 - design rules, 622
- balanced driver attacks

- covert entry, 428
- definition, 259
- ballpoint pen attacks
 - axial pin tumbler locks, 562
 - impressioning, 14
- banks
 - figure 11-15, 250
- barrel and curtain design
 - lever locks, 365
- Barron Robert
 - lever lock, 354
 - lever tumbler lock, 244
- battering ram
 - forced entry, 411
- belly decoding and reading
 - figure 15-21, 362
 - lever lock decoding, 362
 - lever locks, 356
- bending
 - forced entry, 404
- Best lock company
 - definition, 268
- BHMA 156.30 High security standards
 - bumping resistance, 160
 - data from the lock, 157
 - decoding, 156
 - deficiencies, 148
 - definitions, 261
 - electronic attacks, 159
 - electronic audit trails, 155
 - forced entry, 153
 - internal tolerances, 158
 - key control, 155
 - lock standards, 133, 139
 - mechanical bypass, 154
 - pick resistance, 158
 - standards, 133, 138, 142
 - testing deficiencies, 153
- BHMA 156.5
 - deficiencies, 148
 - lock standards, 139
 - standards, 146
- BIAXIAL (Medeco)
 - Decoder, 469
 - Medeco design, 259, 328
 - Medeco pin diagram, 329
- bike locks
 - attacks against, 561
- biometric access
 - gun safes, 392
- biometric devices defeat
 - design rules, 619
- biometric security claims
 - design rules, 617
- bitting of keys
 - attacks against, 388
 - change keys, 490
 - definition, 260
 - depths figure 12-3, 260
 - inserts on keys, 221
 - key design of, 482
 - keys, 43
 - locks, 301
 - rules, 485
 - sequence decoding of, 229
 - systems for keys, 301
- blackmail
 - against lock manufacturer, 203
- blacksmiths
 - development of, 233
- blade of key
 - definitions, 260
- blank key
 - definition, 261
- blocking elements
 - locks, 384
- blows against locks
 - forced entry, 411
- Bo Widen patents
 - lock designs, 325
 - locks, 321
- bolts and mechanisms
 - attacks against 389
 - definition, 261
 - locks, 384
 - pressure against to open, 366
 - warded locks, 347
- bottom pin
 - definition, 261, 276
- Brahma lock
 - attacks against, 342
 - figure 11-11, 246
 - figure 15-22
 - Great Exhibition, 246
 - lock design, 368
 - security of, 245

breaker tools
 forced entry, 403

Briggs & Stratton locks
 sidebar lock, 255
 wafers, 284

Brinks robbery
 Boston, 370

broaching of plug
 locks, 240

brute force attacks
 locks, 37

Builders Hardware Manufacturers
 Association (BHMA)
 lock standards, 133

bump key
 creation of, 225, 493
 definition, 261
 diagram, 8
 diagram of bumping, 8
 figure 1-1, 8
 figure 11-19, 252
 figure 13-7, 293
 locks, 42, 293
 theory of operation, 8
 UL 437, 150, 152

Bumping
 Attack theory figure 1-12, 19
 axial pin tumbler locks, 562
 covert entry, 41, 438
 definition, 261
 electronic locks, 447
 forced entry attacks, 411
 high-security locks, 562
 locks, 34, 41, 428
 Medeco, 83, 538
 rapping of locks, 392
 resistance BHMA 156.30, 160
 security rating, 83
 testing, 57
 time required, 71

burglars don't pick locks
 design rules, 612

burglary resistant mechanisms
 Underwriters Laboratories, 138

bypass of locks
 bumping, 16
 combination, 23
 definition, 270

electronic cylinders, 20

electronic locks by drilling, 452

expertise, 37

fundamentals, 35

gun locks, 15

iLOQ locks, 14

impressioning, 17

Kryptonite bike locks, 14, 83

Kwikset lock, 83

lever tumbler locks, 352

with liquids, 14

Luckylock, 436

Medeco m3, 23

nitinol wire designs, 575

paperclips, 12

padlocks, 579

plugs, 14

push button locks, 13

shimming, 16

using shims, 443

wafer locks, 12

C

cam
 definition, 261

case examples
 absence of evidence of
 compromise, 610
 by category, 571
 the Club vehicle protection,
 608
 great Exhibition, 605
 iLOQ, 602
 Medeco m3 lock, 604
 push button lock attack, 610

caveat emptor
 legal liability, 108

chamber of lock
 definition, 261

change key
 definition, 261
 locks, 42
 modifying, 491
 reverse engineering of, 499

chemical attacks
 forced entry, 414

Chicago Tubar lock
 Brahma, 246

- Chinese lever locks
 - opening, 363
- chisel and wedging attacks
 - forced entry, 412
- chisel-point pin tumblers
 - definition, 262
- Chubb detector lock
 - Detector lock, 246
 - figure 15-20, 361
- Chubb locks
 - figure 11-12, 247
- Civil law
 - liability, 106
- claims
 - patents, 175
- classification system
 - patents, 183
- clever designs
 - design rules, 600, 604
- CLIQ
 - lock design, 306
- cloning
 - electronic credentials, 497
- the Club
 - case example, 608
- Club (anti-theft device)
 - attacks against, 553
 - bypass, 13
 - vehicle anti-theft device, 13
- CMOE (Covert Methods of Entry)
 - locks, 418
- Code of Justinian
 - liability, 107
- codes
 - definition, 262
 - keys, 482
- code setting keys
 - covert entry, 432
 - definition, 262
 - figure 3-1, 57
 - Medeco, 127, 537, 587
- C.O.F.E.D.
 - decoding of keys, 223
 - lock scanner, 527
 - scanner figure 23-1, 527
- Columbia Railroad versus Hawthorne
 - legal liability, 120
- comb picking patent
 - 2064818, 429
- comb picks
 - figure 18-8, 428
- combination locks
 - bypass, 23
 - opening, 363
 - standards, 138
- common sense usage
 - design rules, 617
 - in security vulnerabilities, 617
- complex attacks
 - security failure in design, 586
- complex security layers defeat
 - design rules, 612
- complex security problems
 - design rules, 604
- complexity
 - insecurity engineering, 25
 - locks, 25
- complicated security analysis
 - design rules, 621
- component analysis
 - design rules, 620
- compressed air
 - forced entry attacks, 411
- compromise of locks
 - of locks, 36
 - design rules, 600, 606
- conceiving of attacks inability
 - design rules, 612
- conductive liquids
 - standards, 146
- confidence about security
 - design rules, 617
- confidential information
 - design rules, 616
- consequences in lock design
 - unintended, 391
- constructive knowledge of risk
 - lock manufacturers, 128
- consulting agreements
 - NDA, 201
- control key
 - decoding, 493
 - definition, 262
- conventional mechanical locks
 - classification, 31
 - figure 13-4, 290

- history, 283
 - security enhancements, 300
 - selection of, 315
 - vulnerabilities, 291
 - core
 - definition, 262
 - Core Shim Decoder
 - John Falle, 468
 - Corkey magnetic lock
 - attacks against locks, 584
 - cost cutting
 - design rules, 611
 - counterfeit keys and blanks
 - cutting keys on, 214
 - key control, 43
 - identification of, 216
 - locks, 488
 - protection against, 7
 - covert attacks
 - against microprocessors, 441
 - audio frequencies, 442
 - expertise, 32
 - feeling, 442
 - locks, 387
 - covert entry
 - amplification of rights, 431
 - audio frequencies and sound, 442
 - balance driver attacks, 428
 - covert methods of entry, 417
 - experts, 459
 - expertise required, 38
 - forensic traces, 32
 - gate fence tolerances, 434
 - hybrid attacks, 390
 - impressioning, 436
 - jiggle keys, 433
 - locks, 76
 - magnetics, 440
 - methods of, 38, 421
 - picking, 425
 - rapping attacks, 435
 - signature picks, 434
 - standards, 141
 - techniques of, 36
 - tolerance exploits, 432
 - tool makers, 459
 - traditional, 38
 - crazy ideas
 - design rules, 613
 - creative ideas source
 - design rules, 613
 - creative thinking and management
 - design rules, 608
 - vulnerability assessment, 622
 - credential spoofing
 - design rules, 612
 - credentials
 - attacks against, 478, 591
 - electronic, 12
 - criminal law
 - legal actions, 106
 - liability, 106
 - crisis protocols
 - design rules, 620
 - cross-combination
 - definition, 262
 - cross-keying
 - definition, 263
 - key design, 43
 - cross-picking tool
 - figure 15-28, 375
 - current assumptions about security
 - design rules, 614
 - cut angle
 - definition, 263
 - cut keys
 - overlay, 491
 - cut root
 - definition, 263
 - cutting by forced entry
 - attacks against locks, 396
 - cycle tests
 - standards, 147
 - cylinder
 - definition, 263
 - cylinder pulling
 - with screws, 403
- D**
- damages
 - patents, 186
 - types of in lock defects, 197
 - dangerous conditions
 - product liability, 94
 - data from the lock
 - BHMA 156.30, 157

- deadbolt
 - definition, 264
 - Medeco, 431
 - deadbolt attacks
 - Medeco, 581
 - Cylinder figure 12-5, 264
 - decoding
 - belly reading, 362, 443
 - BHMA 156.30, 155
 - by borescopes, 442
 - control keys, 493
 - core shim, 468
 - covert entry, 40
 - definition, 264
 - Falle, 41
 - keys, 220, 222
 - Lishi tool, 41
 - locks, 41
 - master keys, 44
 - methods of, 41, 524
 - methods of attacks, 582
 - piezo attacks, 442
 - pin lock, 467
 - radiographic techniques, 499
 - secondary security layers, 493
 - standards, 145
 - decoding attacks
 - against mechanical locks, 388
 - information from locks, 441
 - methods failure to consider, 582
 - options master key systems, 505
 - shims, 467
 - standards, 152
 - standards BHMA 156.30, 156
 - systems locks, 524
 - techniques expertise required, 41
 - DefCon
 - definition, 264
 - defeat
 - key control, 213
 - Defeat Technology Company
 - impressioning system, 438
 - defective designs
 - copying of, 393
 - locks, 195
 - defective products
 - definition of, 92, 112, 113
 - design flaws, 113
 - disclosure policy, 12
 - failure to disclose, 97
 - insufficient warnings, 113
 - internal procedures, 193
 - knowingly selling, 126
 - legal liability, 96, 118, 128
 - malfunction doctrine, 124
 - manufacturing flaws, 113
 - notification action items, 187, 195, 200
 - notification rules, 188
 - procedure to follow, 188, 198
 - protection, 9
 - threat level criteria, 198
- defenses
 - legal liability, 127
 - misconduct o the use, 127
 - patent infringement, 185
 - definitions
 - balanced drivers, 259
 - BHMA, 261
 - bitting, 260
 - blade of key, 260
 - blank key, 261
 - bolt, 261
 - bottom pin, 261, 276
 - bump key and bumping, 261
 - bypass, 270
 - cam, 261
 - chamber of lock, 261
 - change key, 261
 - code setting key, 262
 - control key, 262
 - core, 262
 - cross-keying, 263
 - cross-combination, 262
 - cut angle, 263
 - cylinder, 263
 - deadbolt, 264
 - decoding of lock, 264
 - DefCon, 264
 - depth and spacing, 265
 - depth increment, 264
 - depth keys, 265
 - detainers, 270
 - differs, 265
 - dimple key, 265
 - direct code, 265
 - double-bitted key, 266

- double-detainer theory, 266
- driver pin, 266
- end-cap, 266
- ESD, 266
- EVVA MCS, 267
- feel picking, 267
- fence, 267
- graduated driver, 267
- grand master key, 267
- high-security lock, 267
- impression system, 267
- indirect code, 267
- industry, 257
- insecurity engineering, 3
- interchangeable core, 268
- jamb, 268
- key code, 262
- key gauge, 268
- key interchange, 262, 268
- key milling, 268
- key picking, 268
- key symbols, 268
- keyhole, 268
- keying levels, 269
- keyway, 269
- lock picking, 273
- loiding, 269
- MACS, 269
- master key, 270
- master pin, 270
- Medeco chisel point, 262
- Medeco high-security cylinder, 270
- Medeco m3, 269
- mortise cylinder, 270
- movable detainer, 270
- multi-section key blank, 272
- mushroom tumbler, 272
- paracentric keyway, 272
- pin stack, 273
- pin tumbler lock, 273
- plug, 273
- rapping of lock, 273
- removable core cylinder, 273
- restricted keyway, 273
- rim cylinder, 273
- security pin tumbler, 272
- security pins, 273
- shear line, 273
- shell of lock, 273
- sidebar, 274
- sidebar lock, 274
- strike, 274
- tailpiece, 266, 274
- theoretical key changes, 274
- TMK, 276
- tolerance, 276
- top pin, 276
- triple-bitted key, 276
- tryout key, 276
- tubular pin tumbler lock, 276
- Underwriters Laboratories, 277
- virtual shear line, 277
- wafer lock, 277
- delayed action time locks
 - standards, 138
- dent puller
 - locks, 404
- dependent infringement
 - patent, 184
- depth and spacing data
 - decoding from keys, 484
 - definitions, 265
 - information about keys, 484
- depth coding
 - keys, 43
- depth increment
 - definition, 264
 - key system, 43
- depth keys
 - decoding locks, 499
 - definition, 265
 - shimming of cylinders, 499
- design
 - patents, 170
- design changes
 - in locks, 565
- design defects
 - duty to warn, 197
 - failure to remedy, 197
 - legal liability, 90, 91, 115, 195
 - notification procedure, 193
 - post-sale duty, 197
 - recall, 197
 - threat levels, 198
- design errors recent technology
- design rules, 613

- design expertise
 - high-security locks, 32
- design exploits
 - design rules, 607
- design failures
 - against complex attacks, 586
 - locks, 18
- design flaws
 - defective products, 113
- design guidelines
 - locks, 599
- design improvements
 - lock manufacturers, 6
- design issues
 - Medeco, 565
- design mistakes
 - by manufacturers, 37
- designs previously considered
 - design rules, 619
- design rules
 - absence of evidence of
 - compromise, 610
 - adversaries and intelligence, 609
 - apparent security, 623
 - appearance of security, 601, 620
 - arbitrary criteria, 621
 - arrogance in engineering, 610
 - assumptions about security, 614
 - attack motivation, 621
 - attack vector discovery, 613
 - attack vectors designs against, 613
 - attacker developed intelligence, 608
 - attacks against high-tech, 611
 - attacks on interface, 611
 - attacks on locks, 605
 - audit trails, 608
 - back doors, 609
 - bad guys and vulnerabilities, 622
 - biometric devices defeat, 619
 - biometric security claims, 617
 - burglars pick locks, 612
 - clever designs, 600
 - cleverness and security, 604
 - cleverness in designs, 600
 - cleverness in thinking, 601
 - common sense usage, 617
 - compromise of locks, 600
 - confidential information, 616
 - crazy ideas validity, 613
 - creative ideas source, 613
 - creative thinking, 622
 - credentials defeat, 606
 - crisis protocols, 620
 - current assumptions about
 - security, 614
 - cutting costs, 611
 - cutting research costs, 600
 - defeating complex security layers, 612
 - design errors, 613
 - designs and security, 613
 - do not duplicate, 607
 - down the road, 622
 - Dunning-Kruger effect, 623
 - e-cylinders, 606
 - electrons in locks, 605
 - encryption, 601, 603
 - engineers and mindset, 623
 - erroneous security assumptions, 616
 - everyone thinking alike, 605
 - expecting to find vulnerabilities, 616
 - expertise required about
 - vulnerabilities, 608
 - experts finding vulnerabilities, 616
 - exploits and keys, 605
 - exploits testing, 613
 - facility management, 614
 - finding all vulnerabilities, 622
 - fixing vulnerabilities and costs, 612
 - fool about vulnerabilities, 622
 - foolproof security, 616
 - forensic evidence failure, 615
 - Galileo rule, 620
 - good locks and security, 622
 - groupthink, 615
 - high-security doesn't mean secure, 600
 - high-security label, 608
 - high-tech, 601
 - high-tech and security, 615
 - Hobbs, 604
 - ignoring vulnerabilities, 609
 - iLOQ, 602
 - imagination failure, 608
 - imagining attack vectors, 617
 - impenetrable lock, 607
 - important, 23
 - inability to conceive attacks, 612

- Internet information, 611
- keys, 599
- laws of physics, 604
- lawyers in vulnerability
 - assessment, 617
- lock designs and finding
 - vulnerabilities, 616
- locks are mechanical, 609
- Man-in-middle attack, 617
- management quashes innovation, 608
- management statements about
 - security, 614
- meaning of patents, 606
- Medeco design, 604
- media comments about security, 615
- minor changes, 623
- misjudging adversaries, 600
- Moshe Dayan rule, 623
- never say never, 607
- new design technology, 614
- new locks, 606
- no more secrets, 621
- non-critical components, 620
- not invented here, 601
- not making any sense, 622
- observation ability, 612
- opening locks with keys, 600
- openings and vulnerabilities, 610
- overly complicated analysis, 621
- patents and security, 607
- path of least resistance, 607
- poor attitude about compromising, 600
- positive attitude about attacks, 605
- previously considered issues, 619
- price of products, 618
- prioritize effective attacks, 623
- proper mindset in security, 617
- ramifications of new security
 - technology, 617
- reliance on standards, 606
- replication of keys, 604
- sales engineers and security, 618
- secrets and locks, 604
- security and arrogance, 618
- security and confidence, 617
- security and delay, 619
- security and efficiency, 603
- security and liability, 605
- security and liability
 - considerations, 615
- security and mathematics, 619
- security and openness, 618
- security and projects, 619
- security and risk, 618
- security as a concept, 608
- security as a continuum, 602
- security assessment considerations, 616
- security by obscurity, 618
- security complacency, 618
- security confidence, 617
- security decisions, 614
- security defeats, 615
- security device defeat, 620
- security device development, 616
- security effectiveness, 602
- security engineering and regular
 - engineering, 618
- security focus, 614
- security hardware methods of
 - attack, 611
- security idea input, 619
- security is an optimization process, 619
- security is complicated, 602
- security is local, 609
- security is working, 617
- security issues ignored, 616
- security messenger, 614
- security resources allocation, 600
- security rules and failures, 619
- security standards and actual
 - security, 620
- security standards value, 609, 619
- security technology hype, 614
- security theater, 603
- security vulnerabilities denial, 615
- security vulnerabilities existence, 616
- security vulnerabilities failure to
 - identify, 615
- security vulnerability blindness, 618
- security vulnerability evidence, 609
- signature of keys, 601
- simple attacks against complex
 - mechanisms, 615
- simple attacks to defeat locks, 602
- simple design errors, 619
- source of threats, 621

- spoofing credentials ability, 612
- standards and good guys, 617
- standards reliance on, 606
- tampering with security device, 620
- target valuation, 610
- temporary modifications, 614
- thinking like bad guys, 617
- threats and vulnerabilities, 621
- 3T2R rule, 606
- truth and security, 620
- unexplained occurrences, 613
- use of plastics, 603
- vulnerabilities define methods of
 - attack, 622
- vulnerabilities missed, 623
- vulnerabilities searching, 617
- vulnerability analysis restrictions, 614
- vulnerability assessment team
 - members, 612
- vulnerability assessments and
 - flexibility, 618
- vulnerability cover-up, 613
- what ifs consideration, 615
- wrong assumptions about security, 615
- design teams and vulnerability
 - case examples, 610
- design vulnerabilities
 - electronic locks, 455
- designers thinking alike
 - design rules, 605
- designs and security
 - design rules, 613
- destructive attacks
 - against locks, 395
- destructive entry tools
 - locks, 414
- destructive testing
 - standards, 144
- detainers
 - definition, 270
 - hybrid attacks against, 391
- detector lock
 - Chubb, 246
- devil's ring
 - bypass of locks, 23
 - figure 1-10, 17
 - magnetics, 23
- diamond heist
 - Antwerp, 370, 555
- differs
 - definition, 265
 - inadequate number, 224
 - key control, 43
 - standards, 143
 - theoretical, 275
- digital cylinders
 - key-based, 305
- digital door locks
 - designs, 391
- digital fingerprints
 - locks, 523
- dimple keys
 - definition, 265
 - simulation of, 221
- dimple lock attacks
 - John Falle, 295
- dimple lock printed key
 - figure 22-3, 513
- dimple locks
 - axial, 30
 - figure 13-9, 295
 - foil attacks, 295
 - forced attacks, 406
 - lock designs, 294
 - Mul-T-Lock, 295
- direct codes
 - definition, 265
 - keys, 43
- direct infringement
 - patents, 184
- disassembly
 - of locks, 43
- disassembly of locks
 - decoding, 498
- disc tumbler locks
 - lock design, 252, 288
- disclosure policy
 - defects, 12
- DMCA
 - lock design, 203
- do not duplicate
 - locks, 607
- door locks
 - standards, 141
- door opening tools
 - forced entry, 409

- double-bitted key
 - definition, 266
 - double-bitted wafer lock
 - figure 12-15, 277
 - double-detainer locking
 - lever locks, 243
 - theory, 266, 289
 - Double-sided wafer lock
 - figure 11-21, 254
 - down the road
 - design rules, 622
 - drill resistance
 - standards, 144
 - drilling
 - electronic locks, 452
 - interchangeable core locks, 401
 - pin tumbler locks, 398
 - rotor access, 454
 - drilling attacks
 - figure 17-1, 397
 - figure 17-3, 399
 - forced attacks, 398
 - locks, 396
 - sidebars, 455
 - driver pin
 - definition, 266
 - driving
 - forced entry, 404
 - duckbill
 - forced entry tool, 410
 - due care
 - lock design, 128
 - in manufacturing, 102
 - manufacturing, 128
 - Dunning-Kruger effect
 - design rules, 623
 - duplication of keys
 - key control, 217, 218
 - patent infringement, 215
 - duty to recall
 - products liability, 96
 - duty to warn
 - design defect, 197
 - legal liability, 115
- E**
- Easy Entire key machine
 - key control attacks, 510
 - e-cylinders
 - defeat of credentials, 606
 - EEPROM attacks
 - hotel safes, 585
 - Egyptian pin tumbler lock
 - Development, 237
 - diagram figure 11-4, 239
 - figure 11-2, 238
 - figure 11-3, 238
 - figure 15-1, 345
 - origins, 237, 344
 - security vulnerability, 345
 - electromagnetic pulse (EMP)
 - BHMA 156.30, 159
 - electromechanical locks
 - attacks against, 557
 - audit trail defeats, 392
 - bypass of, 453
 - designs, 29
 - reset functions, 453
 - electronic access control
 - attacks against, 552
 - electronic attacks
 - against lock, 314
 - BHMA 156.30, 159
 - most unlikely, 568
 - electronic audits
 - vulnerabilities, 608
 - electronic consumer locks
 - figure 13-29, 312
 - electronic credentials
 - attacks, 547
 - cloning, 497
 - locks, 12
 - electronic cylinders
 - bypass, 20
 - compromise of, 574
 - electronic elements
 - attacks against, 592
 - locks, 448
 - electronic hotel safes
 - attacks against, 585
 - electronic laptop locks
 - defeat of, 393
 - electronic locks
 - attacks, 145, 452
 - attacks against, 445
 - audit trails, 46, 77
 - auto reset, 453
 - bumping attacks, 447
 - bypass of, 452
 - data port access, 393

- design vulnerabilities, 447, 455
- designs, 29
- ion, 14
- Kevo, 311
- lock designs, 310
- manipulation of rotor, 449
- mechanical key bypass, 451
- motor attacks, 453
- piggyback attacks, 450
- RFID, 21
- rotor access, 454
- rotor manipulation, 449
- shim attacks, 452
- sidebar attacks, 455
- standards for, 138
- vulnerabilities, 447
- electronic locks exploits
 - auto reset, 453
- electronic padlocks
 - attacks against, 595
- electronic pick guns
 - covert entry, 427
- electronic rotor access in locks
 - by drilling, 455
- electronic scanners
 - locks, 524
- electrons in locks
 - design rules, 605
- electrons opening doors
 - design rules, 605
- electrostatic discharge
 - definition, 266
- elements of proof
 - legal liability, 128
- EMP attacks
 - BHMA 156.30, 159
- employment agreements
 - patents, 174
- encryption
 - case study, 603
 - design rules, 603
 - lock design, 601
 - what it means, 603
 - understanding of in lock defeat, 603
- end-cap
 - definition, 266
- energy harvesting
 - Abloy Pulse, 310
 - eclair, 306
 - iLOQ, 308
 - locks, 29, 307
- engineers
 - expertise in locks, 26
 - engineers and mindset
 - design rules, 623
 - entry holes
 - locks, 22
 - entry tools
 - warded locks, 349
- Epilogue
 - Tobias on Locks, 625
- erroneous security assumptions
 - design rules, 616
- ESD
 - definition, 266
- ESD testing
 - standards, 146
- estoppel
 - patents, 185
- European patent convention
 - patents, 167
- everyone uses security
 - design rules, 614
- evidence
 - absence of, 559
 - absence of compromise, 610
 - of bypass, 36
 - of entry, 46
 - forensic evidence, 46
- EVVA
 - magnetic code system, 299
- EVVA Acura 44
 - figure 13-16, 300
- EVVA dpi lock
 - figure 15-5, 349
- EVVA locks
 - Acura 44, 300
- EVVA magnetic code system (MCS)
 - definition, 267
 - figure 13-15, 299
 - lock design, 334
 - magnetic attacks, 440
- EVVA 3KS
 - figure 13-2, 288
 - printed key figure 22-4, 513
 - sliders, 286
- EVVA 4KS key
 - printed, 513

- examples
 - insecurity engineering, 14
 - expanding bits
 - lever keys, 364
 - expertise
 - covert attacks, 32
 - forced attacks, 32
 - insecurity engineering, 25
 - lock engineers, 27
 - lock manufacturers, 7
 - expertise required
 - covert entry, 38
 - UL 437, 151
 - experts
 - lock manufacturers, 128
 - experts finding vulnerabilities
 - design rules, 616
 - exploit
 - repeatability of, 83
 - exploits and keys
 - design rules, 605
 - exploits of locks
 - design rules, 607
 - exploits testing
 - design rules, 613
 - explosive attacks
 - locks, 368
 - small keyholes, 365
 - small keyholes preventing, 365
 - external locking elements
 - attacks against, 389
 - extortion attempts
 - civil remedies, 204
 - criminal investigation, 203
 - design defects, 202
 - federal statutes, 203
 - insider threats, 206
 - extrapolation
 - master key systems, 44
 - TMK, 267, 493, 501
 - top-level master key, 225
 - extrapolation of TMK
 - intelligence required, 501
 - master key systems, 500
 - practical considerations, 501
- F**
- facilities management and security
 - design rules, 614
 - failure of imagination
 - design rules, 608
 - failure to connect dots
 - insecurity engineering, 572
 - failure to warn
 - legal liability, 94
 - Falle impressioning system
 - covert entry, 437
 - figure 15-17, 359
 - Falle (John)
 - Pin and Cam systems, 464
 - pin lock decoders, 41
 - Falle pick set
 - covert entry, 424
 - false advertising
 - liability, 211
 - false gates
 - lock design, 301
 - false keys
 - lever locks, 357
 - traps, 355
 - false representations
 - legal liability, 129
 - product liability, 93
 - federal statutes
 - extortion, 202
 - feel picking
 - definition, 267
 - Fenby permutating key machine
 - key cutting, 364
 - fence
 - definition, 267
 - ferrous components
 - attacks against., 36
 - locks, 35
 - Fichet locks
 - 3D printed key, 512
 - field of invention
 - patents, 176
 - figure 1-1
 - bump key, 24
 - figure 1-2
 - side bit milling, 9
 - figure 1-3
 - worm gear, 10
 - figure 2-1
 - simulated keys and key control, 32
 - figure 2-2
 - master key system, 42
 - figure 2-3
 - plug and sidebar, 45

- figure 3-1
 - Medeco code setting keys, 45, 61
- figure 11-1
 - Greek lock, 236
- figure 11-2
 - Egyptian lock, 238
- figure 11-3
 - Egyptian pin tumbler lock, 238
- figure 11-4
 - Egyptian lock diagram, 239
- figure 11-5
 - warded lock design, 239
- figure 11-6
 - warded lock design, 240
- figure 11-7
 - warded lock and key, 241
- figure 11-8
 - warded lock mechanism, 241
- figure 11-9
 - warded locking mechanism, 241
- figure 11-10
 - lever tumbler lock, 243
- figure 11-11
 - Brahma lock, 246
- figure 11-12
 - Chubb locks, 247
- figure 11-13
 - Parsons lever lock, 248
- figure 11-14
 - lever locks, 249
- figure 11-15
 - time locks banks, 250
- figure 11-16
 - Yale pin tumble, 251
- figure 11-17
 - pin tumbler locks, 251
- figure 11-18
 - pin tumbler lock with sidebar, 251
- figure 11-19
 - bump key, 252
- figure 11-20
 - wafer lock, 254
- figure 11-21
 - double sided wafer lock, 254
- figure 12-1
 - tubular lock, 258
- figure 12-2
 - Medeco BIAxIAL lock, 259
- figure 12-3
 - bitting depth and measurement, 260
- figure 12-4
 - pin tumbler lock components, 263
- figure 12-5
 - deadbolt cylinder, 264
- figure 12-6
 - keyway, 269
- figure 12-7
 - MACS, 270
- figure 12-8
 - Medeco sidebar lock, 270
- figure 12-9
 - pin tumbler cylinder, 270
- figure 12-10
 - mushroom pin tumbler, 272
- figure 12-11
 - paracentric keyway, 272
- figure 12-12
 - shear line, 273
- figure 12-13
 - sidebar diagram, 275
- figure 12-14
 - top pins, 276
- figure 12-15
 - double bitted wafer lock, 277
- figure 13-1
 - Kwikset SmartKey, 287
- figure 13-2
 - EVVA 3KS, 288
- figure 13-3
 - Abloy disc lock, 289
- figure 13-4
 - conventional pin tumbler lock, 290
- figure 13-5
 - creating a shear line, 290
- figure 13-6
 - paracentric keyway, 291
- figure 13-7
 - bump keys, 293
- figure 13-8
 - Sargent Keso, 295
- figure 13-9
 - dimple locks, 295
- figure 13-10
 - Mul-T-Lock pins, 296
- figure 13-11
 - axial pin tumbler locks, 297
- figure 13-12
 - laser track keys Mul-T-Lock, 298
- figure 13-13
 - Medeco ARX security pins, 298

- figure 13-14
 - Medeco cam lock, 299
- figure 13-15
 - EVVA magnetic code system, 299
- figure 13-16
 - floating magnetic wafer, 300
- figure 13-17
 - Abloy disc lock false gates and security pins, 301
- figure 13-18
 - security pin tumblers, 302
- figure 13-19
 - key designs, 17, 303
- figure 13-20
 - interactive pins movable element, 304
- figure 13-21
 - Schlage Everest, 304
- figure 13-22
 - Mul-T-Lock mt5+, 305
- figure 13-23
 - Assa Abloy CLIQ, 307
- figure 13-24
 - Ikon eCLIQ, 308
- figure 13-25
 - iLOQ, 309
- figure 13-26
 - iLOQ, 309
- figure 13-27
 - Assa Abloy Spark, 310
- figure 13-28
 - RFID in locks, 311
- figure 13-29
 - electronic consumer locks, 312
- figure 13-30
 - Schlage electromechanical locks, 313
- figure 13-31
 - Kwikset Kevo, 314
- figure 14-1
 - ABLOY disc lock, 319
- figure 14-2
 - side bit milling, 322
- figure 14-3
 - unique sidebar design, 322
- figure 14-4
 - finger pin design, 323
- figure 14-5
 - ASSA V10 lock, 325
- figure 14-6
 - ASSA sidebar design, 324
- figure 14-7
 - Schlage Primus design, 325
- figure 14-8
 - Schlage Primus, 326
- figure 14-9
 - Schlage Primus, 326
- figure 14-10
 - Medeco sidebar design, 327
- figure 14-11
 - Medeco BIAXIAL diagram, 329
- figure 14-12
 - Medeco rotation angles, 329
- figure 14-13
 - Medeco BIAXIAL lock, 330
- figure 14-14
 - Medeco pin position, 330
- figure 14-15
 - Medeco m3 lock, 331
- figure 14-16
 - Medeco cutaway m3 lock, 331
- figure 14-17
 - Medeco m3 slider, 332
- figure 14-18
 - m3 lock cutaway, 332
- figure 14-19
 - Medeco M4 lock design, 332
- figure 14-20
 - Medeco M4 key design, 333
- figure 14-21
 - Medeco M4 sidebar, 334
- figure 14-22
 - EVVA MCS design, 334
- figure 14-23
 - magnetic code system design, 336
- figure 14-24
 - MCS rotor design, 337
- figure 14-25
 - magnetic code system profile, 338
- figure 14-26
 - magnetic overlay film, 338
- figure 15-1
 - Egyptian lock, 345
- figure 15-2
 - Roman warded keys, 346
- figure 15-3
 - warded lock, 347

- figure 15-4
 - warded key and lock, 348
- figure 15-5
 - EVVA dpi lock, 349
- figure 15-6
 - warded keys, 350
- figure 15-7
 - skeleton keys, 350
- figure 15-8
 - keys for warded locks, 351
- figure 15-9
 - warded lock impressed, 351
- figure 15-10
 - warded bypass tools, 352
- figure 15-11
 - warded locks picking tools, 352
- figure 15-12
 - lever tumbler lock diagram, 353
- figure 15-13
 - Canadian postal locks, 354
- figure 15-14
 - silicone impressioning, 356
- figure 15-15
 - plasticine impressioning, 356
- figure 15-16
 - impressioning of bitting, 358
- figure 15-17
 - Falle impressioning system, 359
- figure 15-18
 - 2-in-1 lever tool, 360
- figure 15-19
 - KGB impressioning system, 361
 - programmable lever lock picking tool, 361
- figure 15-20
 - Chubb detector lock, 361
- figure 15-21
 - belly reading decoders, 361
- figure 15-22
 - Brahma lock, 368
- figure 15-23
 - acoustic pick, 369
- figure 15-24
 - KGB picking tools, 372
- figure 15-25
 - KGB picking tool pin tumbler locks, 372
- figure 15-26
 - KGB magnetic lock decoder, 373
- figure 15-27
 - Aldo Silvera tools, 374
 - specialized picking tools, 374
- figure 15-28
 - cross-picking tool, 375
- figure 15-29
 - Sputnik picking tool, 375
- figure 15-30
 - Lishi picking tool, 376
- figure 17-1
 - drilling attacks, 397
- figure 17-2
 - forced attacks, 398
- figure 17-3
 - drilling of locks, 398
- figure 17-4
 - drilling of locks, 399
- figure 17-5
 - shear line drilling, 400
- figure 17-6
 - shear line drilling, 400
- figure 17-7
 - shear line creation, 401
- figure 17-8
 - interchangeable core locks, 401
- figure 17-9
 - profile lock breaker, 402
- figure 17-10
 - forced entry, 403
- figure 17-11
 - dent puller, 403
- figure 17-12
 - lock mounting, 404
- figure 17-13
 - torque pipe tool, 404
- figure 17-14
 - torque tool, 405
- figure 17-15
 - torque tools, 406
- figure 17-16
 - breaking tools, 406
- figure 17-17
 - breaker tools, 407
- figure 17-18
 - Sigma security tools, 407
- figure 17-19

- Sigma Hooligan tool, 407
- figure 17-20
 - Sigma breaking tools, 408
- figure 17-21
 - forced entry tools, 408
- figure 17-22
 - jamb spreading tools, 409
- figure 17-23
 - jamb spreaders, 409
- figure 17-24
 - K-tool, 410
- figure 17-25
 - forced entry wedge tool, 410
 - wedge tool, 410
- figure 17-26
 - Broco thermic lance, 413
- figure 18-1
 - picking tools, 424
- figure 18-2
 - picking tools, 425
- figure 18-3
 - picking tools, 425
- figure 18-4
 - turning wrench, 426
- figure 18-5
 - rocker picks, 426
- figure 18-6
 - pick guns, 426
- figure 18-7
 - electronic pick guns, 427
 - rake picking, 427
- figure 18-8
 - comb picks, 428
- figure 18-9
 - comb picking, 429
- figure 18-10
 - Sputnik pick, 430
- figure 18-11
 - Peterson decoder, 430
- figure 18-12
 - side bit milling modification, 432
- figure 18-13
 - jiggle keys, 433
- figure 18-14
 - signature picks, 434
- figure 18-15
 - impressioning attacks, 436
- figure 18-16
 - Falle foil impressioning system, 437
- figure 18-17
 - foil impressioning system, 438
- figure 18-18
 - lead impressioning system, 438
- figure 18-19
 - Defeat Technology system, 439
 - impressioning system, 439
- figure 18-20
 - Luckylock system, 439
- figure 18-21
 - impressioning marks, 440
- figure 20-1
 - lever lock opening, 465
- figure 20-2
 - pin lock decoder, 467
- figure 20-3
 - Medeco decoder, 468
- figure 20-4
 - Pin Lock Decoder, 469
- figure 20-5
 - mpressioning systems, 470
- figure 20-6
 - foil impressioning system, 471
- figure 20-7
 - light box, 471
- figure 20-8
 - variable key systems, 472
- figure 20-9
 - variable key generation system, 473
- figure 20-10
 - Medeco reusable key, 473
- figure 22-1
 - Schlage Primus key, 512
 - 3D printed key, 512
- figure 22-2
 - Fichet printed key, 512
- figure 22-3
 - 3D printed key, 513
- figure 22-4
 - 3D printed keys, 513
- figure 22-5
 - Imported key profile, 513
- figure 22-6
 - 3D printed keys, 518
- figure 22-7
 - key profile, 519
- figure 22-8
 - keyway scan, 520

- figure 23-1
 - SWD scanner, 527
- figure 23-2
 - Sound Wave Decoder, 530
- figure 23-3
 - lock scanning, 532
 - scanning of lock, 532
- figure 23-4
 - scanner displays, 534
- figure 23-5
 - 3D printer output, 517
 - lock scanner output, 534
- figure 23-6
 - Sound Wave Decoder, 535
- figure 24-1
 - Medeco plug, 539
- figure 24-2
 - Medeco simulated keys, 543
- figure 24-3
 - Medeco sidebar legs, 544
- finding vulnerability beliefs
 - design rules, 622
- finger pin design
 - Schlage Primus, 325
 - side bit milling, 322
- first to file rule
 - patents, 173
- fixing vulnerabilities
 - design rules, 612, 621
- foil impressioning keys and locks
 - locks, 41, 470
 - patent 2763027, 437
- fooled about vulnerabilities
 - design rules, 622
- foolproof systems
 - design rules, 616
- force
 - applied against locks, 396
 - force application failure to consider, 578
- forced attacks
 - covert hybrid, 391
 - expertise, 32
 - locks, 385, 396, 398
 - special tools, 369
- forced entry
 - application of force, 407
 - application of torque, 405
 - attacks, 36
 - bending, 404
 - breaker tools, 406
 - compression attacks, 411
 - dent puller, 404
 - duckbill tool, 410
 - fracturing, 404
 - impact, 411
 - K-tool, 410
 - locks, 75
 - Medeco deadbolt, 431
 - peeling, 406
 - shear line creation, 399
 - standards, 141
 - techniques of, 36
 - temperature attacks, 412
- forced entry attacks
 - battering ram, 411
 - chisel and wedging, 412
 - punching, 412
 - slam hammer, 412
 - thermic lance, 413
 - with chemicals, 414
- forced entry methods
 - locks, 405, 414
- forced entry resistance
 - UL 437, 151
- forced entry standards
 - BHMA 156.30, 153
- forced entry tools
 - door opening, 409
 - figure 17-20, 408
 - figure 17-21, 408
 - locks, 403
- forensic analysis and evidence
 - locks, 36, 559
 - design rules, 615
 - traces covert entry, 32
- foreseeability
 - product liability, 95
- Formlabs
 - SLA printers, 512
- fracturing of materials
 - locks, 404
- fraud and misrepresentation
 - legal liability, 129
 - product liability, 93
- fused deposition modeling
 - 3D printing, 511
- future attacks
 - locks, 373

G

Galileo rule
 design rules, 620
 gate designs
 locks, 34
 gate fence tolerance
 covert entry, 434
 gates
 lever tumblers, 244
 locks, 383
 General Moshe Dayan
 design rules, 623
 good ideas
 failure of security, 573
 good locks and security
 design rules, 622
 Gossman
 Henry, 235
 graduated driver
 definition, 267
 grand master key
 definition, 267
 Great Exhibition
 Brahma lock, 246
 Hobbs, 366
 great train robbery
 locks, 370
 Greek lock
 figure 11-1, 236
 groupthink
 design rules, 615
 guard rings
 prying, 406
 guidelines
 lock design, 599
 guilds
 development of, 234
 gun lock stamped keys
 figure 1-9, 16
 gun safes
 biometric access, 392
 gun trigger locks
 bypass, 15

H

Han Fey
 Abloy expert, 288
 hardware constraints

failure to deal with, 576
 Hawthorne case
 legal liability, 120
 Supreme Court on liability, 119
 Hemingson versus Bloomfield Motors
 liability case, 111
 hidden information
 about locks, 567
 high-security
 definition, 267
 design rules, 600
 high-security label design rules, 608
 locks, 32
 mechanical locks, 304
 standards, 131, 142
 high-security locks
 attributes of, 304
 comparison of, 318
 criteria, 304
 design expertise, 32
 high-security standards
 recommendations, 160
 meaning in rules, 601
 mechanical designs locks, 302
 selection of, 315
 side bit milling, 20
 simple attacks against, 560
 high-tech and high-security
 design rules, 615
 history
 lock development, 27, 233, 343
 Hobbs
 American locksmith, 604
 Great Exhibition, 366
 Hobbs protector lock
 locks, 248
 Hooligan breaking tool
 figure 17-19, 407
 horizontal privity
 legal liability, 122
 hotel locks
 case study of defeat, 63
 encryption defeat, 603
 insecure designs, 579
 hotel safes
 attacks against, 585
 decoding of chips, 585
 paperclip attacks, 594

- hybrid attacks
 - against detainees, 391
 - against security layers, 390
 - covert entry, 41
 - covert forced, 391
 - forced, 386
 - locks, 30, 41, 294
 - methods of, 80
 - modes of, 80
 - standards, 79
 - 3T2R rule, 78
- hybrid electronic
 - lock design, 311
- hydraulic jacks and spreaders
 - breaking tools, 409
 - forced entry, 411
- I**
- identification
 - counterfeit key blanks, 216
- ignoring vulnerabilities
 - design rules, 609, 622
- Ikon eCLIQ
 - figure 13-24, 308
- iLOQ
 - bypass of, 14
 - cylinders bypass of 83
 - defeats, 578
 - design rules, 602
 - energy harvesting, 308
 - figure 1-7, 14
 - figure 13-25, 309
 - figure 13-26, 309
- imagination and failures
 - locks and attacks, 564
 - failure of, 574
- impenetrable lock
 - design rules, 607
- implied warranty claims
 - liability, 110
- impressioning
 - ballpoint pen, 14
 - bypass of locks, 17
 - covert entry, 39, 436
 - definition, 267
 - figure 20-5, 470
 - figure 20-7, 471
 - foil system, 41
 - light box, 470,
 - locks, 14
 - of keys, 222
 - keys figure 15-14, 356
 - marking figure 18-21, 440
 - marks, 440
 - plasticine systems, 471
 - technique for dimple locks, 295
 - tools, 41
 - UL 437, 150
 - warded locks, 350
- impressioning system
 - figure 18-17, 438
 - KGB, 361
 - lever locks, 359
 - locks, 469
 - Luckylock, 439
 - Tool figure 15-16, 358
 - variable, 438
- improper use
 - locks, 102
- improving designs
 - lock manufactures, 6
- incidental master keys
 - key systems, 43
 - locks, 497
- index of security
 - locks, 68
- indirect code
 - definition, 267
 - keys, 43
- indirect infringement
 - patents, 184
- industrial property
 - Paris convention, 167
- industry standards
 - definitions, 257
 - failure to adhere to, 100
 - legal liability, 128
- information
 - hidden about locks, 567
 - from keys and locks, 479
- infringement of IP and patents
 - lock manufacturers, 6, 7
 - patents, 183
- injunctions
 - patents, 186

- innovation
 - not invented here problem, 601
- input devices
 - lock standards, 147
 - locks, 146
- insecurity engineering
 - case examples, 571
 - categories of cases, 571
 - definition, 3
 - examples, 14
 - expertise, 25
 - failure of imagination, 574
 - liability, 4
- insider threats
 - against lock companies, 205
 - locks, 62
- Instakey
 - programmable lock, 248
- insufficient warnings
 - defective products, 113
- integrated circuits
 - attacks against, 560
- integrity of locks
 - attacks against, 388, 588
- intellectual property
 - lock manufacturers, 6
 - protection of, 163
- intelligence
 - within locks, 32
- intelligence about targets
 - design rules, 608
- interactive pin design
 - figure 13-20, 304
 - Mul-T-Lock, 304
 - interactive pins
- interchangeable core locks
 - control key, 262
 - control key decoding, 493
 - definition, 268
- interface attacks
 - design rules, 611
- internal components
 - attacks against, 593
- internal tolerances
 - exploit of, 158
- Internet information
 - design rules, 611
- interstate communications
 - threats, 203
- inventions
 - definition under patent law, 170
 - naming of inventor, 174
 - nondisclosure of, 180
- Iowa American company
 - forced entry tools, 407
 - K-tool, 410
- IP protection
 - by lock manufacturers, 6
- J**
- jamb
 - definition, 268
- jamb spreaders
 - forced entry, 409
 - figure 17-23, 409
- jiggle keys
 - covert entry, 433
 - figure 18-13, 433
- jimmying
 - forced entry, 405
- John Falle
 - decoding system, 41
 - dimple lock attack, 295
 - Pin and Cam decoder, 498
- K**
- Kaba 5800 lock
 - figure 1-6, 13
- Kaba InSync lock
 - figure 1-4, 11
- Kaba simplex 1000 lock
 - figure 1-11, 18
 - legal liability, 128
- key
 - 3D printed, 512
- key-based
 - digital cylinders, 305
- key bitting
 - rules of manufacturer, 499
 - visual inspection of, 499
- key blade
 - definition, 260
- key blanks
 - definition, 272
 - expired patents, 216
 - impressioning marks, 440

- lead impressing system, 438
 - overlay, 491
 - picking by, 431
- key changes
 - standards, 144
- key codes
 - rules about, 487
 - standardized, 478
- key control
 - advanced attacks on, 507
 - attacks on, 43
 - authorization cards, 213
 - BHMA 156.30, 155
 - compromise of, 217, 495
 - concept, 43
 - copying with wax, 357
 - decoder, 268
 - liability for statements, 211
 - locks, 32
 - locksmiths defeat, 212
 - manufacturers, 212
 - organizational, 229
 - security policies, 229
 - standards, 143, 149
 - 3D printer technology, 43, 511
 - 3D printing, 509
 - UL 437, 149, 153
- key designs
 - EVVA 3KS, 288
 - figure 13-19, 303
 - Mul-T-Lock, 305
 - security issues, 209
- key duplicating
 - key duplicating machine, 235
 - key duplicating shops, 213
 - restricted, 215
 - 3D printers, 219
 - violation of law by locksmiths, 216
 - warranty violations, 215
- key gauge
 - definition, 268
- key generation systems
 - figure 20-10, 473
- key interchange
 - definition, 262, 268
 - exploit, 496
- key locks
 - standards, 138
- key machines
 - computer right, 218
 - Fenby permutating, 364
 - Henry Gossman, 235
 - permutating, 357
 - sophisticated, 218
 - 3D printers, 219
- key milling
 - definition, 268
- key picking
 - definition, 268
- key profile
 - mapping of, 520
- key simulation
 - key control, 217
- key systems
 - incidental master keys, 43
 - reusable, 472
 - variable generation, 472
- keyhole
 - definition, 268
- keying levels
 - definition, 269
- keying symbols
 - definition, 268
- keying systems
 - attacks, 477, 489
 - change keys, 42
 - legal issues, 209
 - locks, 42
 - maison, 488
 - reverse engineering, 499
- keyless entry
 - car attacks, 566
- keys
 - access control, 305
 - actual combinations, 43
 - attack strategies, 477, 478
 - attacks against, 388
 - bitting, 482
 - bitting designs, 43, 301
 - bitting sequence, 229
 - bitting system, 301
 - bump key creation, 493
 - changing bitting, 490
 - copying, 492
 - copying methods of, 498
 - counterfeit, 43

- counterfeit blanks, 488
- counterfeit protection against, 7
- cut angle, 263
- decoding of, 220, 222
- depth and spacing, 265
- depth and spacing information, 484
- depth coding, 43
- depth keys, 265
- design rules, 599
- differs, 224
- direct codes, 43
- double-bitted, 266
- double-cutting, 266
- duplication of, 44, 218
- electronic locks bypass, 451
- figure 13-19, 303
- iLOQ, 14
- impressioning of, 222
- indirect code, 267
- information about online, 497
- information from, 44, 479, 482
- key codes, 482
- key control, 43
- legal restrictions, 215
- locks, 42
- Madelin, 223
- magnetic pins, 300
- master key systems, 483
- milling, 268
- modification of, 491
- movable elements, 304, 482
- movable elements attacks, 479
- overlay insertion, 491
- patent infringement, 215
- physical design of, 482
- physical examination of, 483
- positional master key system, 229
- protection of, 477
- replication of, 44, 222, 492, 601
- reusable systems, 472
- rights amplification, 43, 223, 489
- scanning of, 488
- signatures of, 601
- simulation of, 32, 43, 44, 220
- software and hardware-based, 305
- special industry, 481
- spoofing, 601
- stamped, 16
- system keys, 492
- theoretical combinations, 43
- tryout, 435
- variable key generation systems, 221
- visual decoding of, 220
- visual inspection of, 499
- keys and credentials
 - attacks against, 591
 - locks, 381
- keys and locks
 - rules, 23
- keys 3D printed
 - figure 22-6, 518
- keyway access
 - latch or bolt, 392
 - locks, 300
- keyway designs
 - keying systems, 44
- keyway restrictions
 - circumvention, 216
- keyway warding
 - attacks against, 479
 - modification of, 490
- keyways
 - attacks against, 479
 - attacks through, 300
 - compromise of, 435
 - definition, 269
 - figure 12-6, 269
 - figure 13-6, 291
 - locks, 381
 - open ended, 15
 - paracentric, 272, 291
 - restricted, 49, 215
 - scan 3D printer software, 521
 - sectional, 488
 - secure in locks, 34
 - signature, 481
 - virtual, 22, 225
 - virtual defeat of, 497
 - wards, 240
 - width for covert entry, 435
- KGB
 - lock design, 255
- KGB picking tools
 - figure 15-24, 372
- warded locks, 352

- knock-off keys
 - cutting keys, 214
 - knowledge of locks
 - failure of, 572
 - knowledge required
 - vulnerability assessment, 623
 - Kryptonite bike lock
 - attacks against, 561
 - bypass, 14
 - opening, 83
 - K-tool
 - forced entry, 410
 - Kwikset Kevo
 - electronic locks, 311
 - figure 13-31, 314
 - lock design, 311
 - Kwikset lawsuit
 - patent infringement, 163
 - Kwikset locks
 - design failure, 580
 - opening, 83
 - Kwikset SmartKey
 - Lock, 300
 - figure 13-1, 287
 - wafer lock, 286
- L**
- lashes
 - patents, 185
 - laptop locks
 - defeats magnetics, 393
 - laser track
 - lock design, 296
 - laser track keys
 - figure 13-12, 298
 - latch or bolt
 - keyway access, 392
 - Laws of Motion and physics
 - Newton, 24, 394
 - Rules, 23
 - lawyers
 - role in vulnerability assessment, 617
 - lead impressioning system
 - Martin, 438
 - legal defense
 - state-of-the-art, 129
 - legal issues
 - keying systems, 209
 - master key systems, 226
 - Twelve Tables, 107
 - warning exemptions, 116
 - legal liability
 - alternative design, 124
 - caveat emptor, 108
 - civil law, 106
 - constructive knowledge of risk, 128
 - consumer safety disregard, 101
 - criminal law, 106
 - defective product, 113, 118, 128
 - defenses against, 127
 - design defects, 115
 - due care in design, 128
 - duty to warn, 115
 - elements of proof, 128
 - expert lock manufacturers, 128
 - failure to disclose defects, 97
 - failure to fix products, 98
 - false representations, 93
 - fraud and misrepresentation, 92, 129
 - industry standards, 100, 128
 - Kaba simplex lock, 128
 - knowingly selling defective product, 126
 - locks, 103
 - MacPherson versus Buick Motor Car Company, 120
 - malfunction doctrine, 124
 - manufacturing defects, 114
 - marketing defects, 115
 - Medeco case study, 127
 - merchantability, 118
 - misconduct in products, 99
 - misrepresentation about products, 99
 - misuse of product, 128
 - negligence and privity of contract, 118, 120, 121
 - negligence proof, 128
 - non-manufacturers, 129
 - origins of, 106
 - post-sale warning, 95
 - privity of contract, 109
 - post-sale issues, 115
 - product design, 125
 - products liability, 90
 - reasonable foreseeability, 128
 - risk-utility analysis, 124

- security, 89
- sophisticated user doctrine, 117
- specific actions, 102
- state-of-the-art, 128
- strict liability, 121, 122
- use of product, 95
- warning of design defects, 115
- warranties, 118
- levels of threat
 - design defects, 198
- lever tumbler locks
 - advancements of, 243
 - barrel and curtain design, 365
 - Barron Robert, 244, 354
 - belly decoding, 356
 - belly reading decoding, 362
 - bypass, 352
 - Canadian postal, 354
 - Decoder, 466
 - decoding by sound, 369
 - development, 242
 - early methods of picking, 359
 - figure 11-10, 243
 - figure 11-14, 249
 - figure 15-12, 353
 - figure 15-13, 354
 - figure 20-1, 465
 - gates, 244
 - impressioning techniques, 358
 - keys expanding bits, 364
 - KGB impressioning, 360
 - locks, 30
 - mapping of the tumblers, 359
 - methods of attack, 355
 - methods of opening, 366
 - Newell, 247
 - opening, 363, 464
 - over-lifting tumblers, 360
 - Parsons balanced lever, 247
 - picking programmable tool, 360
 - picking tool figure 15-18, 360
 - pressure against bolt, 366
 - security pins, 364
 - traps for false keys, 355
 - Tucker and Reeves, 249
 - Universal Belly Reader, 466
- leverage
 - forced entry, 405
- liability
 - attack times, 74
 - defective products, 112
 - design defects in locks, 195
 - false advertising, 211
 - keying system design, 209
 - legal, 4
 - lock standards, 151
 - standard of care, 107
 - 3T2R rule, 68
- liability avoidance
 - privity of contract, 111
- liability case
 - Hemingson versus Bloomfield Motors, 111
- liability law
 - locks, 105
- liquids
 - bypass of locks, 14
- Lishi picking tool
 - figure 15-30, 376
 - picking, 41
- lock assembly
 - attacks against, 389
- lock attacks
 - last 100 years, 371
 - laws of physics, 24
 - time measurement, 70
- lock bodies
 - attacks against, 588
- lock bumping
 - advertising, 211
 - bump keys, 225
 - covet entry, 41
 - definition, 261
 - examples of bumping of locks, 15
 - figure 1-1, 8
 - Medeco, 538
 - methods of, 58
 - protocols, 57
 - standards, 141
 - time delay, 71
- lock cylinders
 - shimming of, 499
- lock decoders
 - Sound Wave Decoder, 528
- lock defeats
 - Antwerp diamond heist, 555

- positive attitude, 605
- lock defects
 - reasonable foreseeability, 128
- lock designs
 - alternatives, 101
 - ASSA twin, 321
 - damages for defects, 197
 - design rules and vulnerabilities, 616
 - eCLIQ, 306
 - good ideas, 573
 - KGB, 256
 - laser track, 296
 - legal liability, 103
 - lessons, 29
 - MACS, 224
 - magnetic fields, 299
 - Medeco, 298
 - Medeco M4, 294
 - Middle Ages, 294
 - nitinol wire, 393
 - rotating pin tumbler, 296
 - rules, 64
 - side bit milling, 320
 - 3T2R Rule, 67
 - use of plastics, 394
 - VA team selection, 54
 - vulnerabilities, 52
 - vulnerability assessment teams, 50
- lock developments
 - history, 28
- lock engineers
 - expertise required, 27
- lock experts
 - covert entry, 459
- lock manufacturers
 - arrogance, 102
 - as experts, 128
 - design mistakes, 35
 - disclosure of defects, 13
 - expertise, 6
 - extortion attempts, 202
 - insider threats, 206
 - intellectual property, 6
 - responsibilities, 4
 - threats of exposure, 203
- lock materials
 - characteristics, 33
- lock modification
 - design rules, 606
- lock openings
 - shims, 594
- lock parts
 - visual decoding, 499
- lock picking
 - burglars, 612
 - covert entry, 425
 - England, 366
 - figure 18-2, 425
 - kits, 424
 - reverse, 255
- lock plug
 - figure 2-3, 44
- lock scan displays
 - figure 23-4, 534
- lock scanners
 - C.O.F.E.D., 527
 - capabilities, 532
 - Madelin, 527
 - output display, 535
 - process, 531
 - visualization, 534
- lock security
 - sidebars, 228
 - threats, 53
- lock standards
 - BHMA 156.30, 133
 - bump key, 152
 - decoding attacks, 152
 - key control, 149
 - liability, 151
 - mechanical bypass, 154
 - rapping test, 146
 - rules relating to, 133
- lock types
 - basic designs, 29
- locking components
 - movable, 383
- locking elements
 - attacks against, 479
 - external attacks, 389
- locking systems
 - figure 13-28, 311
 - first of, 235
 - mechanical bypass, 36
 - secondary, 488
 - sidebars, 319

locks

- advanced attacks against, 459
- AFTE, 36
- anti-bumping, 34
- anti-bumping pins, 301
- anti-drill barriers, 34
- anti-drill pin, 300, 397
- application of force, 578
- arithmetic attacks, 363
- Assa Abloy CLIQ, 306
- attack methods, 577
- attack strategies, 478
- attack types, 385
- attacks against, 341, 460, 479
- attacks against keys, 388
- attacks strategies, 460
- attacks with explosives, 368
- audit trails, 46, 76
- axial pin tumbler, 30, 258, 296
- bitting design, 301
- bolts, 384
- Brahma, 342
- broaching, 240
- bump keys, 42, 293
- bumping, 41
- bypass buttons, 392
- bypass by magnetic fields, 23
- bypass fundamentals, 35
- change keys, 42
- choosing methods of attack, 420
- clever designs, 600
- comparison of high security, 318
- complexity, 26
- compromise of, 36
- consumer use of, 102
- conventional classification, 31
- conventional locks selection, 315
- conventional vulnerabilities, 291
- copying defective designs, 393
- covert attacks, 387
- covert entry, 76
- covert hybrid attacks, 391
- covert methods of entry, 417
- critical thinking about, 601
- deadbolt attacks, 581
- decoding, 41
- decoding attacks against, 388
- decoding by disassembling, 498
- decoding information from, 441
- decoding methods, 524, 582
- defeat of credentials, 606
- defective designs, 195
- definitions, 257
- design changes, 565
- design defects, 197, 198
- design failures, 18
- design rules, 599
- designs and testing, 379
- destructive attacks, 395
- differs, 224
- digital door lock designs, 391
- digital fingerprints, 523
- dimple, 30, 294
- disassembly of, 43
- disc tumbler lock, 252
- DMCA, 203
- do not duplicate, 607
- double-detainer theory, 289
- drilling, 398
- drilling attacks, 396, 397
- drilling of, 401
- Egyptian pin tumbler, 237
- electronic, 310
- electronic attacks, 314, 447, 568
- electronic authentication, 315
- electronic decoding systems, 524
- electronic elements attacks, 448, 592
- electronic scanners, 524
- electronic vulnerabilities, 447
- energy harvesting, 307
- engineers, 27
- enhancements, 34
- entry holes, 22
- evidence of bypass, 36
- evidence of entry, 46
- exploits of, 461
- extortion attempts, 202
- false gates, 301
- ferrous elements in, 497
- ferrous materials, 35
- foil impressioning, 470
- force applied against, 396
- forced attacks, 385
- forced entry, 75
- forced entry tools, 403
- forensic analysis, 36

- forensic evidence, 46
- forensic examination, 45
- future attacks, 373
- gate design, 34
- gates, 383
- hardware constraints, 576
- hidden information about, 567
- high-security, 32
- high-security attributes, 304
- high-security locks selection, 315
- high-security mechanical, 302, 304
- historical development, 343
- history of, 233, 279
- Hobbs protector lock, 248
- hybrid, 30
- hybrid attack techniques, 41, 80
- hybrid electronic, 311
- hybrid forced attacks, 386
- hybrid mechanical designs, 294
- impenetrable appearance, 607
- impressioning, 14
- impressioning systems, 469
- impressioning tools, 470
- information about, 487
- input devices, 146
- insider threats, 62
- integrated circuits attacks, 560
- intelligence from, 32, 479
- internal attacks against, 593
- internal tolerance exploits, 158
- key control, 32
- key control attacks, 509
- key duplicating machine, 235
- keying systems, 42
- keys and credentials, 381
- keys with software, 305
- keyway access, 300
- keyways open ended, 14
- lack of imagination, 564
- lack of knowledge, 572
- laws of physics, 36
- lever tumbler, 30
- lever tumbler development, 242
- magnetic components, 35
- magnetic field attacks, 389
- magnetic pins, 300
- magnetics, 35
- major crimes, 370
- malfunctions and liability, 101
- master keying levels, 42
- material limitations, 576
- mechanical and arithmetic attacks, 363
- mechanical bypass, 36, 494
- mechanical electronic interface, 384
- Medeco BIAxIAL, 293
- Medeco locks, 23
- methods of entry, 421
- microprocessor attacks, 441
- minor changes, 125
- motion transfer components, 384
- movable components, 383
- movable elements, 34
- NDA agreements, 201
- never say never, 607
- notification of defect, 189
- open keyways, 14
- openings, 389, 443, 560, 589
- organizations, 258
- paracentric keyways, 291
- physical integrity, 388
- piezoelectric effect, 525
- pin tumbler, 30, 288, 289
- plug retaining components, 384
- plugs and keyways, 381
- primary components, 379
- primary vulnerabilities, 419
- product liability, 104
- programmable, 43
- re-keyable, 43
- reverse picking of, 595
- RFID, 21
- rotating disc, 30, 288
- scanner capabilities, 532
- scanner designs, 527
- scanner tools, 524, 525
- secondary security layers, 384
- secrets within, 604
- security classifications, 31
- security definition, 53
- security features, 34
- security layers, 390
- security modifications, 614
- security pins, 34, 301
- security standards, 609
- selection of, 315
- selection criteria, 315

- shear line, 290, 381
- shear line attacks, 387, 595
- shell or housing, 380
- side bit milling, 19, 31, 34
- sidebar, 30
- sidebar designs, 34, 320
- sidebar use, 319
- sidebars, 294, 383
- simple attacks against, 602
- simulated keys, 32
- spring-loaded mechanisms, 18
- standards, 131, 138
- standards and criteria, 34
- standards organizations, 132, 137, 283
- strengths tests, 147
- surreptitious entry, 76
- technology development, 233
- testing using torque, 33
- theory of operation, 29
- threat level criteria, 198
- 3T2R rule, 41
- tolerance attacks, 387, 496
- tolerance testing, 146
- torque to open, 33
- trade groups, 235
- tryout keys, 496
- UL standards, 137
- ultrasonic scanners, 525
- Underwriters Laboratories, 137
- unintended consequences, 391
- upgrades to products, 601
- use of plastics, 603
- using plastic keys, 591
- vulnerabilities of, 36
- vulnerability analysis, 379
- vulnerability assessment, 49
- vulnerability assessment program, 53
- vulnerability assessment reports, 63
- wafer, 30
- wafer tumbler, 253, 284
- warded, 30
- warded insecurity, 346
- warded methods of entry, 347
- why designs, 605
- wireless authentication, 312
- worm gears, 36
- Yale pin tumbler, 250
- locks are mechanical
 - design rules, 609

- locks security
 - criteria for judging, 319
- locks standards
 - BHMA, 133
 - UL, 133
- locksmiths
 - as experts in vulnerabilities, 608
 - city ordinance violations, 216
 - contract violation, 215
 - dealer contracts violation of, 215
 - liability for damages, 210
 - patent infringement, 215
 - security issues, 210
 - tools availability, 83
- loiding
 - definition, 269
- London
 - Great Exhibition of 1851, 366
- Luckylock
 - attacks, 436

M

- MacPherson versus Buick
 - Motor Company
 - legal liability, 120
- MACS
 - definition, 269
 - figure 12-7, 270
 - lock design, 224
 - standards, 144
- Madelin
 - decoding of keys, 223
- Madelin lock scanner
 - locks, 527
- magnetic attack Kaba
 - figure 1-11, 18
- magnetic attacks
 - covert entry, 440
 - visa mag, 440
- magnetic code system
 - definition, 267
 - design figure 14-22, 336
 - EVVA, 299, 334
 - figure 14-22, 334
 - key profile figure 14-25, 338
 - rotor design, 337
- magnetic components
 - locks, 35
- magnetic decoding

- covert attacks, 440
- magnetic decoding attacks
 - against locks, 584
- magnetic decoding film
 - visa mag, 338
- magnetic elements
 - attacks on, 479
- magnetic fields
 - using to attack, 389
 - application of, 497
 - attacks against locks, 299
 - bypass of locks, 17
- magnetic fishing wire
 - electronic locks, 452
- magnetic lock decoder
 - figure 15-26, 373
- magnetic lock design
 - Mul-T-Lock, 335
- magnetic locks
 - attacks of, 79, 584
- magnetic release
 - solenoid bypass, 576
- magnetic ring
 - figure 1-10, 17
- magnetic wafer
 - figure 13-16, 300
- magnetics
 - devil's ring, 23
 - theory, 35
- magnets
 - bypass of locks, 23
- maison keying systems
 - locks, 488
- malfunction doctrine
 - legal liability, 124
- man-in-the-middle of attack
 - design rules, 617
 - cars, 566
- management statements about security
 - design rules, 614
- manipulation
 - standards, 144
- manufacturers
 - design mistakes, 35
 - due care, 102
 - liability for damages, 210
- manufacturing defects
 - legal liability, 114
 - manufacturing flaws
 - defective products, 113
 - mapping the tumblers
 - lever locks, 359
 - marketing
 - misconduct in, 99
 - marketing defects
 - legal liability, 115
 - Martin impressioning system
 - patent 4817406, 438
 - locks, 358
 - Mas-Hamilton X07
 - attacks against, 589
 - master key systems
 - analysis of keys, 229
 - design and information from, 483
 - diagram of, 42
 - extrapolation, 44
 - figure 2-2, 42
 - incidental keys, 43
 - information from keys, 483
 - legal issues, 226
 - level of, 269
 - procedures to decode, 505
 - progression, 488
 - security threats, 501
 - vulnerabilities, 44, 227
 - master keys
 - compromise of, 498
 - decoding of, 43
 - definition, 270
 - incidental, 43
 - master pin
 - definition, 270
 - materials and locks
 - characteristics, 33
 - materials limitations
 - locks, 576
 - maximum adjacent cut specification
 - definition, 269
 - lock design, 224
 - Maxum deadbolt
 - Medeco, 15
 - MCS
 - EVVA design, 334
 - EVVA locks, 299
 - MCS design
 - figure 14-22, 334

- MCS lock
 - magnetic attack, 440
- MCS rotor design
 - figure 14-24, 337
- mechanical bypass
 - definition, 270
 - locks, 36, 494
 - standards, 154
- mechanical bypass of locks
 - cylinders, 36
- mechanical electronic interface
 - locks, 384
- mechanical locking elements
 - covert attacks, 390
- mechanical locks
 - conventional, 283
 - designs, 29
- Medeco
 - ARX pins, 302, 468
 - case study, 537
 - code setting keys, 432, 537, 586
 - double cutting keys, 266
 - lock design, 298
 - sidebar codes, 540
 - sidebar design, 165
 - simulated keys, 541
 - Tobias Bluzmanis, 537
- Medeco ARX pins
 - figure 13-18, 302
- Medeco BIAXIAL
 - decoder, 469
 - definition, 259
 - figure 12-2, 259
 - figure 14-11, 329
 - figure 14-13, 330
 - lock design, 328
 - locks, 293
- Medeco cam lock
 - figure 13-14, 299
- Medeco case study
 - lock design, 601
 - possible liability, 127
- Medeco code setting keys
 - design, 127
 - figure 3_1, 61
- Medeco coding
 - pin tumblers, 329
- Medeco cutaway of m3
 - figure 14-16, 331
- Medeco decoder
 - figure 20-3, 468
- Medeco design
 - Original, 327
 - overview, 539
- Medeco design issue
 - locks, 565
- Medeco high-security cylinder
 - definition, 270
- Medeco locks
 - bumping, 83, 538
 - differs, 540
 - formation, 320
 - 3T2R rule, 83
- Medeco m3
 - bypass, 23
 - case study, 604
 - cutaway figure 14-18, 332
 - definition, 269
 - figure 14-15, 331
 - locks, 23
 - plug drilling attacks, 397
 - sliver figure 14-17, 332
 - U.S. Patent, 331
- Medeco M4
 - lock design, 228, 294
 - side bit milling, 332
 - figure 14-19, 332
 - figure 14-20, 333
 - side bit milling, 332
- Medeco Maxum deadbolt
 - attacks of, 581
 - figure 1-8, 15
- Medeco pin positions
 - figure 14-14, 330
- Medeco pin rotation
 - diagram of, 329
- Medeco pin tumbler design
 - locks, 326
- Medeco plug
 - figure 24-1, 539
- Medeco rotation angles
 - figure 14-12, 329
- Medeco sidebar design
 - figure 14-10, 327
 - photographs, 539
 - tumbler interaction, 326
- Medeco sidebar legs
 - figure 24-3, 544

Medeco sidebar lock
 figure 12-8, 271

media comments about security
 design rules, 615

members
 vulnerability assessment teams,
 56

methods of attack
 choosing against locks, 420
 design rules, 611

methods of entry
 locks, 421

methods of forced entry
 locks, 414

metrics in security
 3T2R rule, 68

Middle Ages
 lock design, 242

milling
 of keys, 268

milling machines
 key duplication, 219

minor changes
 design rules, 623
 of locks, 125
 security vulnerabilities, 623

misconduct
 defense, 127

misleading statements
 lock bumping, 212

misrepresentation about products
 legal liability, 99

misuse of product
 legal liability, 128

MIT students 3D keys
 3D printed key, 512

modern locks
 history of, 279

modification of designs
 locks, 606

modification of products
 patents, 166

modifying
 keyway wards, 490

mortise cylinder
 definition, 270

motor attacks electronic locks
 compromise in electronic locks, 574
 electronic locks, 453

movable detainer
 definition, 270

movable elements
 locks, 34
 in keys, 304
 keys, 479
 of keys, 482
 magnetics in key, 300

M-SCAN
 lock scanner, 528

multi-section blank
 definition, 272

Mul-T Lock mt5+
 figure 13-22, 305

Mul-T-Lock
 dimple design, 295
 interactive pins, 304
 magnetic lock design, 335
 telescoping tumbler, 296

Mul-T-Lock pins
 figure 13-10, 296

Mul-T-Lock printed key
 figure 22-3, 513

mushroom tumbler
 definition, 272
 figure 12-10, 272

N

NDA agreements
 locks, 201

Nedwell patent
 lock scanner, 526
 locks, 526

negligence
 in design, 100
 legal liability, 118, 121
 in manufacturing, 100
 in product design, 100
 proof of, 128

negligence and privity of contract
 legal liability, 120

never say never
 lock defeats, 607

new designs
 design rules, 614

new locks
 design rules, 606

Newell parautopic lock
 lever lock, 247

Newton
 figure 1-12, 19
 laws of motion, 24, 394
 Third law of motion 3T2R, 41

NFC

lock design, 255

nitinol wire

defeats of, 393
 defective designs, 575

no more secrets

design rules, 621

non-critical components

importance of, 620

nondisclosure agreements

consulting, 201

non-manufacturers

legal liability, 129

non-obviousness

patents, 177

nonprovisional patents

application, 172

not invented here

design rules, 601

not making sense

design rules, 622

notification

of defects., 200
 of lock defects, 187

notification of defects

assessment of issue, 194
 internal procedures, 193
 priority, 195
 protocols, 188, 198
 to consumers, 189

novelty

patent requirements, 177

O

observation ability in team members

design rules, 612

occurrences unexplained

design rules, 613

open keyways

locks, 14

openings and locks

attacks, 589
 attacks against, 389
 covert entry, 443

in locks, 22, 560
 shim wire attacks, 594
 openings and vulnerabilities
 design rules, 610
 organizational key control
 key control, 229

P

padlocks

attacks against electronics, 595
 bypass of, 579
 development, 242

paperclip attacks

bypass of locks, 12
 figure 1-5, 12
 hotel safes, 594

paracentric keyway

definition, 272
 figure 12-11, 272
 locks, 291

paratopic lock

lever lock, 247

Parsons lever lock

figure 11-13, 248
 lever locks, 247

partnership agreements

patents, 175

patent application

primary parts of, 175

Patent Cooperation Treaty

patents, 168

patent criteria

United States, 165

patent EP 2834438

scanner, 526

patent infringement

criteria, 183
 defenses of, 184
 duplication of keys, 215
 lock manufacturers, 6
 locksmith, 215
 remedies for, 186

patent law

England, 167
 history of, 166
 overview of, 169
 United States Overview, 169
 Venetian patent statute, 167

- patent office
 - web address, 182
- patent origins
 - U.S. Constitution, 167
- patent protection
 - by lock manufacturers, 6
 - lock manufacturers, 6
- patent requirement
 - utility, 177
- patent rights
 - not covered, 178
 - patents, 171
- patent treaties
 - international, 167
- patents
 - abstract of, 176
 - acts to invalidate, 180
 - advantages of filing, 181
 - American Inventors Protection Act, 169
 - background, 176
 - claim, 175
 - classification system, 183
 - criteria for issuance, 176
 - damages, 186
 - design patents, 170
 - direct infringement, 184
 - employment agreements, 174
 - European patent convention 1977, 167
 - field of invention, 176
 - filing in United States, 172, 173, 181
 - first to file rule.12.8, 173
 - former employee, 175
 - history of, 166
 - indirect infringement, 184
 - injunctions, 186
 - intellectual property, 163
 - invalidation of, 180
 - invalidation of application, 179
 - laches, 185
 - legal requirements for filing, 173
 - life and validity, 178
 - misuse of, 185
 - modifications of products, 166
 - naming inventor, 174
 - non-obviousness, 177
 - nonprovisional applications, 172
 - novelty, 177
 - obtaining in United States, 172
 - Paris convention, 167
 - partnership agreements, 175
 - PCT, 168
 - piezo decoder patent, 180
 - plant, 171
 - preferred embodiment, 176
 - primary parts of application, 175
 - prior art, 180
 - provisional applications, 172
 - relation to security, 165
 - remedies for infringement, 186
 - rights, 171, 178
 - search tools, 182
 - shop rights, 175, 185
 - specification, 175
 - statutory criteria for issuance, 176
 - Title 35, 165
 - Trip S Agreement, 168
 - types of, 170
 - utility, 170, 176
- patents don't mean security
 - design rules, 607
- patents expired
 - key blanks, 216
- patents meaning of
 - design rules, 606
- path of least resistance
 - design rules, 607
- permutating key machines
 - lever locks, 357
- Peterson axial lock decoder
 - covert entry, 431
- Philo Felter
 - wafer lock design, 284
- physics laws
 - defeat of, 604
 - and locks, 36
- pick guns
 - covert entry, 426
- pick resistance
 - 156.30, 158
 - standards, 144, 145
 - UL 437, 150
- picking of locks
 - complex forms of, 150
 - covert entry, 38
 - definition, 273
 - England, 366

- lever locks, 359
- Lishi tool, 41
- reverse, 431, 595
- simultaneous, 431
- tolerances, 41
- picking tools
 - KGB, 372
 - warded locks, 351
- piezo decoder patent
 - investigation, 180
- piezo measurement
 - decoding, 442
- piezoelectric effect
 - locks, 525
- piggyback attacks
 - electronic locks, 450
- Pin and Cam decoder
 - Definition, 464
 - John Fall, 498
- Pin Lock Decoder system
 - John Falle, 466, 467, 498
 - locks, 467
- pin tumbler lock
 - components figure 12-4, 263
 - definition, 273
 - development of, 237
 - driver pin, 266
 - figure 11-17, 251
 - figure 11-18, 251
 - figure 12-9, 271
 - Linus Yale, 243
 - lock design, 296
 - locks, 30
 - opening techniques, 464
 - pin stack definition, 273
 - principles of operation, 289
 - origins of, 344
 - rapping, 273
 - reverse picking, 431
 - security attacks, 344
 - shearing of, 406
 - Yale, 367
- pinning restrictions
 - MACS, 224
- plant patents
 - patents, 171
- plastic
 - and lock designs, 394
 - plastic keys
 - attacks against locks, 591
 - plasticine
 - impressioning keys, 356
 - plasticine impressioning
 - locks, 471
 - plasticine impressioning system
 - figure 15-15, 356
 - Martin Newton, 356
 - plug and sidebar
 - figure 2-3, 45
 - plug of lock
 - definition, 273
 - figure 2-3, 44
 - locks, 381
 - locks bypass, 14
 - pneumatic pressure
 - forced entry, 411
 - police
 - as experts in locks, 608
 - positional master key system
 - analysis of, 229
 - post-sale issues
 - legal, 115
 - post-sale warnings
 - product liability, 95
 - pounding
 - of locks, 404
 - price of security products
 - design rules, 618
 - primary components
 - locks, 379
 - Primus lock design
 - sidebar, 325
 - Schlage, 324
 - prior art
 - patents, 180
 - prioritize realistic attacks
 - design rules, 623
 - privity in contracts
 - horizontal, 122
 - legal liability, 109, 122
 - vertical, 123
 - processor reset
 - covert attacks, 441
 - product defects
 - definition of legal liability, 92
 - product design

legal liability, 125
 legal liability origin, 106
 negligence, 100
 reasonable care, 102
 risk-utility testing, 100
 product liability
 consumer safety disregard, 101
 defects, 96
 design defects, 90, 91
 development of, 104
 duty to recall, 96
 failure to remedy problems, 98
 failure to warn, 94
 foreseeability of defect, 95
 improper use of product, 102
 legal actions to trigger, 102
 malfunctions, 101
 marketing failures, 99
 post-sale warning, 95
 seller's liability, 107
 understanding by lock
 manufacturers, 9
 upgrades, 119
 product upgrades
 liability, 119
 product warnings
 failure of, 100
 profile cylinder breaker tools
 locks, 403
 programmable
 lock, 43
 programmable keys
 warded locks, 352
 programmable lever lock kit
 impressioning, 359
 programmable locks
 Kwikset, 248
 programs
 3D printing, 514
 progression
 master key systems, 488
 protection of patents and intellectual
 property
 by lock manufacturers, 6
 provisional applications
 patent, 172
 prying
 locks, 404

pulling attacks
 forced entry, 401
 punching attacks
 forced entry, 412
 push button locks
 attacks against, 557, 610
 bypass, 13

R

radio frequency attacks
 BHMA 156.30, 159
 radiographic techniques
 decoding, 499
 rake picking
 pick guns, 427
 figure 18-7, 427
 R&D costs
 design rules, 600
 rapping attacks
 BHMA 156.30, 160
 definition, 273
 electronic locks, 447
 standards, 146
 ratchet mechanisms
 defeat of, 394
 recalls
 design defects, 197
 reliability
 3T2R rule, 83
 remedies
 extortion attempts, 204
 removable core cylinder
 definition, 273
 repair doctrine
 legal liability, 119
 repeatability of exploit
 3T2R rule, 83
 replication of keys
 design rules, 604
 key control, 217
 key duplication, 222
 reports
 vulnerability assessment,
 62
 reset attacks
 electronic locks, 453
 reset buttons
 bypass of, 392

- reset function exploit
 - electromechanical locks, 453
- resource allocation
 - design rules, 610
- responsibilities
 - by lock manufacturers, 4
- restricted key blanks
 - circumvention of, 216
 - cutting of, 214
- restricted keyways
 - definition, 273
 - DoD, 215
 - locks, 489
 - overlay bitting insert, 221
- retailers
 - legal liability, 129
- reusable key generation
 - figure 20-9, 473
- reverse picking
 - figure 1-5, 12
 - pin tumbler, 431
 - wafer locks, 255
- reverse picking attacks
 - against locks, 595
- RF attacks
 - BHMA 156.30, 159
- RFID
 - locks, 21
- rights amplification
 - covert entry, 431
 - keys, 43, 223, 478, 489
- rim cylinder
 - definition, 273
- ripping
 - forced entry, 406
- risk-utility analysis
 - legal liability, 124
- risks
 - constructive knowledge of, 128
- risk-utility test
 - product design, 100
- rocker picks
 - covert entry, 426
- Roman keys
 - figure 15-2, 346
- Roman law
 - liability, 107
 - origins of liability, 107

- Roman locks
 - early design, 239
 - warded, 239
- root of key
 - definition, 263
- Ross Anderson book
 - Security Engineering, 5, 36
- rotating disc
 - locks, 30
- rotating pin tumblers
 - lock design, 296
- rotating tumbler design
 - Medeco, 326
- rotor access
 - electronic locks, 454
- rules
 - keys and locks, 23
 - laws of physics, 23
 - lock design, 599
 - locks, 41
 - suggested for a lock design, 64

S

- safe
 - standards, 131
- safe designs
 - with solenoids, 575
- sales engineers and security knowledge
 - design rules, 618
- Sargent Keso
 - figure 13-8, 295
- SAVTA
 - development of, 235
- sawing attacks
 - locks, 396
- scanner
 - M-SCAN, 528
 - Sound Wave Decoder graphics, 532
- scanner designs
 - locks, 527
- scanner display
 - locks, 534
 - Sound Wave Decoder, 529, 534
- scanners
 - lock process, 531
 - locks, 524
 - patents, 526

- Schlage
 - Smartkey lawsuit, 163
- Schlage electromechanical lock
 - figure 13-30, 313
- Schlage Everest
 - figure 13-21, 304
- Schlage Primus
 - figure 14-7, 325
 - figure 14-8, 326
 - figure 14-9, 326
 - lock design, 324
 - 3D printed, 512
- scoring of security
 - 3T2R rule, 83
- screws
 - forced entry, 403
- search tools
 - patents, 182
- secondary locking systems
 - modifying, 491
 - security, 488
- secrets
 - about security, 621
- secrets and locks
 - design rules, 604
- sectional keyways
 - keys, 488
- secure keyways
 - locks, 34
- security
 - confidence about, 617
 - criteria for judging, 319
 - definition of, 53
 - in products, 53
 - liability, 89
 - mistaken beliefs, 617
 - not an equation, 619
- security against attacks
 - time delay, 71
- security and confidence
 - design rules, 617
- security and designs
 - design rules, 619
- security and liability
 - design rules, 605, 615
- security and patents
 - patents do not mean security, 607
- security and price
 - security effectiveness, 618
- security and productivity
 - design rules, 603
- security and truth
 - design rules, 620
- security arrogance
 - design rules, 618
- security as a continuum
 - design rules, 602
- security as concept
 - design rules, 608
- security as effective
 - design rules, 602
- security assessment
 - 3T2R rule, 83
- security assessment blinders
 - design rules, 618
- security assessment considerations
 - design rules, 616
- security assumptions
 - design rules, 614
- security by obscurity
 - design rules, 618
- security claims
 - biometric, 617
- security classifications
 - locks, 31
- security complacency
 - design rules, 618
- security decisions
 - design rules, 614
- security defeats
 - design rules, 615
- security design input
 - design rules, 619
- security design openness
 - design rules, 618
- security device development
 - design rules, 616
- security device tampering
 - design rules, 620
- security devices defeat
 - design rules, 620
- security engineering
 - distinguished from engineering, 618
 - Ross Anderson, 5, 36
- security engineering differences
 - design rules, 618
- security enhancement
 - in locks, 34, 300

- security features
 - locks, 34
- security focus
 - design rules, 614
- security is about time delay
 - design rules, 619
- security is complicated
 - security rules, 602
- security is optimization process
- sign rules, 619
- security is working
 - design rules, 617
- security issues
 - ignored, 616
 - keying systems, 209
 - notification of, 189
- security layers
 - attacks against, 479
 - decoding of, 493
 - neutralization of, 390
 - secondary for locks, 384
- security measures and failures
 - design rules, 619
- security messenger
 - design rules, 614
- security metrics
 - 3T2R rule, 68
- security mindset
 - design rules, 617
- security pin tumblers
 - figure 13-18, 302
- security pins
 - definition, 272, 273
 - locks, 34, 301
- security problems existence
 - design rules, 616
- security rating
 - 3T2R rule, 68
 - locks, 83
- security resource allocation
 - design rules, 600, 610
- security standards and actual security
 - design rules, 620
 - meaning design rules, 619
 - value of, 609
- security technology
 - ramifications of new, 617
- security technology hype
 - design rules, 614
- security testing criteria
 - design rules, 621
- security that everyone uses
 - design rules, 614
- security theater
 - design rules, 603
- security transparency
 - design rules, 618
- security vulnerabilities
 - common sense, 617
 - conventional lock, 291
 - ignoring, 609
 - inability to imagine, 617
 - notification of, 188
 - repeatedly searching for, 617
 - what ifs, 615
- security vulnerabilities and mathematics
 - design rules, 619
- security vulnerabilities missed
 - design rules, 623
- security vulnerability denial
 - design rules, 615
- security vulnerability evidence
 - design rules, 609
- seller's liability
 - product liability, 107
- serrated pins
 - lever locks, 364
- SFIC
 - definition, 268
- shear line
 - attacks against, 44
 - creation of, 290, 399
 - definition, 273
 - figure 12-12, 273
 - locks, 381
- shear line attacks
 - description of, 44
 - locks, 387, 595
- shear line creation
 - figure 13-5, 290
 - pin tumbler locks, 400, 491
- shear line drilling
 - cylinders, 400
 - locks, 400
- shear line forced attacks
 - locks, 411

- shearing attacks
 - locks, 396
- shell of lock
 - definition, 273
- shell or housing
 - locks components, 380
- shim attacks
 - electronic locks, 452
- shim wire attacks
 - against openings, 594
- shim wires
 - decoding of locks, 498
- shimming of locks
 - examples, 15
- shims
 - bypass techniques, 13
 - covert entry width, 443
 - decoding systems, 467
- shock
 - forced entry, 411
- shop rights
 - patent, 175, 185
- side bit milling
 - figure 1-2, 9
 - figure 14-2, 321
 - finger pin design, 322, 323
 - in locks, 228
 - lock designs, 320
 - locks, 19, 31, 34
 - modification of, 431
 - patents, 321
- side pin design
 - ASSA V10, 323
 - interaction with sidebar, 325
- sidebar
 - bumping of, 587
 - attacks electronic locks, 455
 - codes definition, 540
 - comparison of use, 320
 - defeat with plastic keys, 591
 - definition, 274
 - design of Medeco, 165
 - diagram figure 12-13, 275
 - figure 11-18, 251
 - locks, 30, 294, 320, 383
 - Medeco, 539
 - Protection of, 228
 - Wafers, 286
- sidebar designs
 - figure 14-3, 322
 - locks, 34
 - similar, 321
- sidebar interaction
 - with side pins, 325
- sidebar lock
 - Briggs & Stratton, 255, 284
 - definition, 274
 - figure 12-8, 271
 - original patent, 255
 - picking of, 587
- Sigma breaking tools
 - locks, 407
- signature picks
 - figure 18-14, 434
- silicone
 - use in attacks, 589
 - impressioning keys, 356
- Silvera (Aldo)
 - picking tools, 374
- simple attacks against complex security
 - design rules, 615
- simple design errors
 - design rules, 619
- simple solutions
 - complex problems, 604
- simulated keys
 - figure 2-1, 32
 - locks, 32
 - Medeco, 541
 - simulated Medeco keys figure 24-2, 543
- simulation
 - of keys, 43, 220
- skeleton keys
 - figure 15-7, 350
 - warded locks, 242, 349
- slam hammer
 - forced entry attacks, 412
- SLS technology
 - 3D printing, 514
- small openings
 - locks, 22
- SmartKey locks
 - Attacks against, 580
 - Kwikset, 248, 300
 - Schlage lawsuit, 163

- solenoids
 - bypass of, 576
 - in safe designs, 575
- Sophisticated User doctrine
 - legal liability, 117
- sound
 - used for decoding, 369
- Sound Wave Decoder
 - display, 532
 - figure 23-2, 530
 - locks, 528
 - output figure 23-6, 535
- source of threats
 - design rules, 621
- specification
 - patents, 175
- spreading
 - forced entry, 406
- spring-loaded mechanisms
 - locks, 18
- springs
 - failure to use, 394
 - failure to use in locks, 579
- Sputnik pick tool
 - covert entry, 430
 - figure 15-29, 375
 - figure 18-10, 430
- standard 156.30
 - testing deficiencies, 153
- standard of care
 - liability, 107
- standards
 - ASTM, 138
 - BHMA 156.30, 142, 304
 - BHMA 156.5, 146
 - conductive liquids, 146
 - covert entry, 141
 - cycle tests, 147
 - decoding of locks, 145
 - destructive testing, 144
 - differs, 143
 - drill resistance, 144
 - electrified input devices, 147
 - electrostatic discharge testing, 146
 - forced entry, 141
 - high-security, 142
 - high-security locks, 131
 - high-security locks criteria, 304
 - hybrid attack, 79
 - key changes, 144
 - key control, 143
 - lock bumping, 141
 - locks, 138
 - locks and safe, 138
 - manipulation, 144
 - pick resistance, 145
 - rapping, 146
 - reliance on, 606
 - rules relating to, 133
 - strength tests, 147
 - surreptitious entry, 144
 - testing deficiencies, 78
 - testing deficiencies in BHMA, 153
 - tolerance tests, 146
 - tools utilized, 559
 - 3T2R rule, 78
 - visual key control, 143
- standards and criteria
 - lock, 34
- standards and good guys
 - design rules, 617
- standards and testing
 - false results, 100
- standards deficiencies
 - UL 437, 148
- standards for locks
 - locks, 131
- standards organization
 - locks, 132, 137, 283
- state-of-the-art technology
 - legal defense, 129
 - lock manufacturers, 6
- Statute of Monopolies
 - English, 167
- stereolithography technology
 - 3D printing, 512
- STP 0140
 - Underwriters Laboratories, 137
- STP 0437
 - Underwriters Laboratories, 137
- strength tests
 - locks, 147
- strict liability
 - legal liability, 121, 122
- strike
 - definition, 274

- surreptitious entry
 - locks, 76
 - standards, 144
- SWD decoder
 - C.O.F.E.D., 530
- system keys
 - locks, 492

T

- tailpiece
 - definition, 266, 274
- target selection by attackers
 - design rules, 610
- team members
 - vulnerability assessment, 59
- techniques of decoding
 - locks, 41
- telescoping tumblers
 - figure 13-10, 296
 - Mul-T-Lock, 296
- temperature extremes
 - forced entry attacks, 412
- temporary security solutions
 - design rules, 614
- tension wrench
 - lock picking, 426
- terminology
 - lock, 257
- test results
 - falsification of, 100
- testing exploits
 - locks, 613
- testing of locks
 - vulnerability assessment process, 60
 - destructive, 144
 - tolerance, 146
- testing protocols
 - UL 437, 148
- theoretical combinations
 - of keys, 43
- theoretical key changes
 - definition, 274
- theory of operation
 - locks, 29
- thermic lance attacks
 - forced entry, 413
- thinking like bad guys
 - design rules, 617

- threat assessment
 - locks, 53
- threat levels
 - design defects, 198
- threats
 - against lock companies, 203, 205
 - interstate communications of, 203
 - sources of, 621
- threats and vulnerabilities
 - design rules, 621
- 3D printers and programs
 - capabilities, 514
 - FDM technology, 511
 - Formlabs, 512
 - key control, 507, 511
 - key machines, 219
 - key profile figure 22-5, 517
 - keys figure 22-2, 512
 - mapping of keys, 520
 - output, 517
 - SLA technology, 512
 - selective laser sintering, 514
 - UL 437, 153
 - vulnerabilities, 43
 - wax casting, 514
- 3D printing software
 - AT Security, 514
 - specialized, 514
- 3T2R rule
 - audit trail defeat, 77
 - design rules, 606
 - hybrid attack, 78
 - lock design, 67
 - manufacturer's use of, 83
 - Medeco locks, 83
 - numerical scoring, 83
 - reliability of exploit, 83
 - repeatability of exploit, 83
 - security assessment, 83
 - security rating, 68
 - tool assessments, 81
 - tools, 72
 - training, 83
- time computation
 - attacks against locks, 69
- time delay
 - against attacks, 68
 - lock attack, 71

time measurement
 attacks against locks, 70

time to attack
 locks, 74

Title 35
 U.S. patent code, 169

TMK
 definition, 276
 extrapolation of, 225, 228, 267, 493

TMK decoding
 procedures, 505

TMK extrapolation
 intelligence before, 501
 master key systems, 500

tolerances
 attacks against, 387
 definition, 276
 exploiting of, 432, 496
 lock picking, 41
 standards and tests, 146

tool assessment
 3T2R rule, 81

tools
 attack methods, 83
 available to locksmiths, 159
 for testing, 159
 impressioning, 41
 locksmith, 83
 special, 36
 traditional, 36
 3T2R rule, 72
 use in standards, 159

tools and vulnerabilities
 design rules, 610

tools in standards
 unknown, 559

top level master key systems
 decoding options, 505
 definition, 276
 extrapolation of, 225, 493

top pin
 definition, 266, 276
 figure 12-14, 276

torque
 application of, 33
 application to plug, 580
 forced entry, 405
 forced entry technique, 33

torque testing
 locks, 33

torque tools
 forced entry, 406

trade groups
 locks, 235

train robbery
 great train, 370

training
 3T2R rule, 83

treaties
 patents, 167

Triffault Alexandre
 3D printing programs, 514

Trip S Agreement
 patents, 168

triple-bitted lock
 patent 2030837, 276

triple-bitted key
 definition, 276

truth and security
 design rules, 620

tryout keys
 attacks by, 363
 covert entry, 435
 definition, 276
 key systems, 44
 locks, 496

tubular pin tumbler lock
 definition 276
 figure 12-1, 258

Tucker and Reeves
 lever lock, 249

tumbler over-lift
 lever locks, 360

U

U.S. patent 1514318
 ABLOY, 319

U.S. patent 1965336
 sidebar lock, 255

U.S. patent 2030837
 triple-bitted key, 276

U.S. patent 2064818
 comb picking, 429

U.S. patent 2763027
 foil impressioning, 437

U.S. patent 3080744
 original Medeco patent, 326

- U.S. patent 3499303
 - Medeco, 327
- U.S. patent 3722340
 - Medeco, 327
- U.S. patent 4377082
 - sidebar design, 320
 - sidebar designs, 320
- U.S. patent 4393673
 - side bit milling, 321
- U.S. patent 4434631
 - sidebar design, 320
- U.S. patent 4635455
 - Medeco BIAXIAL, 327
- U.S. patent 4638651
 - sidebar design, 320
 - sidebars, 320
- U.S. patent 4715717
 - Schlage Primus, 325
- U.S. patent 4723427
 - Medeco, 327
- U.S. patent 4756177
 - Schlage Primus patent, 325
 - side bit milling, 321
- U.S. patent 4815307
 - Schlage Primus, 325
 - side bit milling, 321
- U.S. patent 4817406
 - foil impressioning, 438
 - William Martin impressioning, 358
- U.S. patent 4966012
 - lock designs, 579
- U.S. patent 5067335
 - side bit milling, 321
- U.S. patent 5277042
 - the Club, 553
- U.S. patent 5640865
 - side bit milling, 321
- U.S. patent 5715717
 - side bit milling, 321
- U.S. patent 5809816
 - Schlage Primus patent, 325
 - side bit milling, 321
- U.S. patent 5845525
 - side bit milling, 321
- U.S. patent 6134929
 - side bit milling, 321
- U.S. patent 6477875
 - Medeco, 327
 - Medeco locks, 327
 - Medeco m3 lock, 330
- U.S. patent 6945082
 - Medeco, 327
- U.S. patent 7213429
 - re-keyable lock, 163
- U.S. patent 7434431
 - keying systems, 163
- U.S. patent 7441431
 - tubular lock design, 296
- U.S. patent 7775074
 - ARX pins, 301
- U.S. patent 7963135
 - security pin, 301
- U.S. patent 8074479
 - EVVA MCS attack, 335
- U.S. patent 8997538
 - magnetic lock design, 335
- U.S. patent
 - 10563426, 79
- U.S. patent 11629525
 - authentication of lock, 315
 - definition, 277
 - locks standards, 133
- UL 437
 - attack resistance, 141
 - bumping, 150
 - complex picking, 150
 - deficiencies, 148
 - definitions and tests, 140
 - expertise in testing, 151
 - forced entry resistance, 151
 - impressioning, 150
 - key control, 149, 153
 - liability, 151
 - lock standards, 139
 - pick resistance, 150
 - standard Underwriters Laboratories, 138
 - 3D printed key, 153
 - vulnerabilities, 148
- UL 768
 - Underwriters Laboratories, 138
- UL 887
 - Underwriters Laboratories, 138
- UL 1034
 - Underwriters Laboratories, 138
- UL 2058
 - Underwriters Laboratories, 138

- UL and BHMA
 - standards, 139
 - UL standards
 - locks and safes, 138
 - ultrasonic scanners
 - locks, 525
 - undercuts and keys
 - Schlage Everest, 304
 - Underwriters Laboratories
 - definition, 277
 - standards, 133
 - STP 0140, 138
 - STP 0437, 138
 - Underwriters Laboratories 437
 - standards
 - different tests, 140
 - Universal Belly Reader
 - lever locks, 466
 - universal pin tumbler system
 - John Falle, 472
 - upgrades
 - design rules, 601
 - lock design, 601
 - USB port
 - and locks, 393
 - use of products
 - product liability, 95
 - USPS
 - restricted keyways, 215
 - USPTO
 - web address, 182
 - utility
 - patent requirement, 177
 - patents, 170, 176
- V**
- V10 ASSA
 - lock design, 321
 - VA team members
 - criteria, 56
 - variable key generation systems
 - figure 20-8, 472
 - impressioning, 438
 - John Falle, 472
 - keys, 221
 - locks, 472
 - vehicle anti-theft system
 - attacks against, 553
 - anti-theft device, 13
 - Venetian patent statute
 - origins of patents, 167
 - vertical
 - privity and liability, 123
 - vibration attacks
 - covert entry, 435
 - locks, 394
 - virtual keyway systems
 - altering, 490
 - defeat of, 225, 496
 - locks, 22
 - virtual shear line
 - definition, 277
 - visa mag
 - magnetic code system decoding, 338
 - magnetic field attacks, 440
 - visa mag images
 - figure 1-10, 17
 - figure 14-26, 338
 - visual decoding
 - of keys, 220
 - of lock parts, 499
 - visual key control
 - standards, 143
 - vulnerabilities
 - Bypass, 419
 - electronic locks, 455
 - identification of, 51
 - 3D printing, 43
 - master key, 228
 - of lock, 36, 379
 - methods of attack, 622
 - notification of, 188
 - search for, 617
 - understanding of lock
 - manufacturers, 6
 - vulnerabilities and risks
 - analysis restrictions design rules, 614
 - analysis tools design rules, 610
 - conceived of by design teams design
 - rules, 610
 - design rules, 618
 - expecting to find design rules, 616
 - failure to identify design rules, 615
 - lock designs, 52
 - vulnerability assessment
 - design rules, 606, 617, 618
 - lock design, 49
 - program, 53

- process lock design, 60
- reports, 63
- team selection of, 50, 55, 59, 612
- vulnerability cover-up design
 - rules, 613

W

- wafer locks
 - attacks on, 285
 - bypass, 12
 - characteristics of, 285
 - definition, 277
 - EVVA 3KS, 286
 - figure 11-20, 254
 - hybrid designs, 286
 - Kwikset SmartKey, 286
 - locks, 30, 253
 - Philo Felter, 284
 - reverse picking, 255
 - tumbler, 284
 - Winfield, 285
- warded
 - keyways, 240
 - locks, 30
- warded bypass tools
 - figure 15-10, 352
- warded key impressioned
 - figure 15-9, 351
- warded keys
 - 15-6, 350
- warded keys and locks
 - figure 15-4, 348
- warded locks
 - design figure 11-5, 239
 - early designs, 239
 - figure 11-6, 240
 - figure 11-7, 241
 - figure 11-8, 241
 - figure 11-9, 241
 - figure 15-3, 347
 - figure 15-8, 351
 - impressioning techniques, 350
 - insecurity, 346
 - limitations of, 243
 - methods of entry, 347

- multiple bolts, 347
- picking tools, 351
- programmable keys, 352
- Roman, 239
- skeleton key, 242, 349
- warning of defects
 - exempt from liability, 116
 - legal liability, 115, 118
- warranty of merchantability
 - legal liability, 118
- warranty violation
 - keys, 215
- wedge tool
 - forced entry figure 17-25, 410
- wedging
 - forced entry, 4-5
- what ifs
 - design rules, 615
- white hat hackers
 - 3T2R rule, 83
- Widen (Bo)
 - lock patents, 321, 325
- Winfield locks
 - attacks, 285
- Winterbottom versus Wright
 - legal liability, 110
- wireless authentication
 - door lock, 312
 - lock design, 312
- wireless door locks
 - lock design, 312
- worm gears
 - attacks against, 36
 - figure 1-3, 10
 - locks, 36
- wrenching
 - forced entry, 405
- wrong assumptions about security
 - design rules, 615

Y

- Yale lock design
 - figure 11-16, 251
 - locks, 250
 - pin tumbler, 243, 367

